

SRE Practitioner<sup>SM</sup> Exam Study Guide



# DevOps Institute's SKIL Framework

DevOps Institute is dedicated to advancing the human elements of DevOps success through our human-centered SKIL framework of Skills, Knowledge, Ideas and Learning.

We develop, accredit and orchestrate SKIL through certifications, research, learning opportunities, events and community connections.

### Join Us!

Become a member and join the fastest growing global community of DevOps practitioners and professionals.

The DevOps Institute continuous learning community is your go-to hub for all things DevOps, so get ready to learn, engage, and inspire.

devopsinstitute.com/membership

You belong.





DevOps Institute is dedicated to advancing the human elements of DevOps success. We fulfill our mission through our SKIL framework of Skills, Knowledge, Ideas and Learning.

Certification is one means of showcasing your skills. While we strongly support formal training as the best learning experience and method for certification preparation, DevOps Institute also recognizes that humans learn in different ways from different resources and experiences. As the defacto certification body for DevOps, DevOps Institute has now removed the barrier to certification by removing formal training prerequisites and opening our testing program to anyone who believes that they have the topical knowledge and experience to pass one or more of our certification exams.

This examination study guide will help test-takers prepare by defining the scope of the exam and includes the following:

- Course Description
- Examination Requirements
- DevOps Glossary of Terms
- Value Added Resources
- Sample Exam(s) with Answer Key

These assets provide a guideline for the topics, concepts, vocabulary and definitions that the exam candidate is expected to know and understand in order to pass the exam. The knowledge itself will need to be gained on its own or through training by one of our Global Education Partners.

Test-takers who successfully pass the exam will also receive a certificate and digital badge from DevOps Institute, acknowledging their achievement, that can be shared with their professional online networks.

If you have any questions, please contact our DevOps Institute Customer Service team at CustomerService@DevOpsInstitute.com.



# Site Reliability Engineering (SRE) Practitioner<sup>SM</sup> Course Description

### **DURATION - 24 Hours**

Introduces a range of practices for advancing service reliability engineering through a mixture of automation, organizational ways of working and business alignment. Tailored for those focused on large-scale service scalability and reliability.

### **OVERVIEW**

The SRE (Site Reliability Engineering) Practitioner course introduces ways to economically and reliably scale services in an organization. It explores strategies to improve agility, cross-functional collaboration and transparency of health of services towards building resiliency by design, automation and closed loop remediations.

The course aims to equip participants with the practices, methods, and tools to engage people across the organization involved in reliability through the use of real-life scenarios and case stories. Upon completion of the course, participants will have tangible takeaways to leverage when back in the office such as implementing SRE models that fit their organizational context, building advanced observability in distributed systems, building resiliency by design and effective incident responses using SRE practices.

The course is developed by leveraging key SRE sources, engaging with thought-leaders in the SRE space and working with organizations embracing SRE to extract real-life best practices and has been designed to teach the key principles & practices necessary for starting SRE adoption.

This course positions learners to successfully complete the SRE Practitioner certification exam.

### **COURSE OBJECTIVES**

At the end of the course, the following learning objectives are expected to be achieved:

- 1. Practical view of how to successfully implement a flourishing SRE culture in your organization.
- 2. The underlying principles of SRE and an understanding of what it is not in terms of anti-patterns, and how do you become aware of them to avoid them.
- 3. The organizational impact of introducing SRE.
- 4. Acing the art of SLIs and SLOs in a distributed ecosystem, and extending the usage of Error Budgets beyond the normal to innovate and avoid risks.
- 5. Building security and resilience by design in a distributed, zero-trust environment.
- 6. How do you implement full stack observability, distributed tracing and bring about an Observability-driven development culture?

- 7. Curating data using AI to move from reactive to proactive and predictive incident management. Also, how do you use DataOps to build clean data lineage.
- 8. Why is Platform Engineering so important in building consistency and predictability of SRE culture?
- 9. Implementing practical Chaos Engineering.
- 10. Major incident response responsibilities for a SRE based on incident command framework, and examples of anatomy of unmanaged incidents.
- 11. Perspective of why SRE can be considered as the purest implementation of DevOps.
- 12. SRE Execution model
- 13. Understanding the SRE role and understanding why reliability is everyone's problem.
- 14. SRE success story learnings

### **COURSE OUTLINE**

- Course Introduction
- Module 1: SRE Anti-patterns
- Module 2: SLO is a Proxy for Customer Happiness
- Module 3: Building Secure and Reliable Systems
- Module 4: Full-Stack Observability
- Module 5: Platform Engineering and AIOPs
- Module 6: SRE & Incident Response Management
- Module 7: Chaos Engineering
- Module 8: SRE is the Purest form of DevOps
- Post-class assignments



# Site Reliability Engineering (SRE) Practitioner<sup>SM</sup>

**Examination Requirements** 



### Site Reliability Engineering (SRE) Practitioner<sup>SM</sup> Certificate

Site Reliability Engineering (SRE) Practitioner is a freestanding certification from DevOps Institute. The purpose of this certification and its associated course is to impart, test and validate knowledge, comprehension and application of advanced SRE practices, methods, and tools. The SRE Practitioner certification is tailored for anyone focused on large-scale service scalability and reliability with an interest in modern IT leadership and organizational change approaches.

### **Eligibility for Examination**

The following prerequisite must be met before sitting for the SRE Practitioner certification exam:

- Candidates must have successfully completed and earned the SRE Foundation certification from DevOps Institute.
- Although there are no formal training prerequisites for the exam, DevOps Institute
  highly recommends that candidates complete at least 24 contact hours of
  formal, approved training delivered by an accredited Education Partner of
  DevOps Institute in order to prepare for the exam.

### **Examination Administration**

The SRE Practitioner certification is accredited, managed and administered under the strict protocols and standards of DevOps Institute.

### **Level of Difficulty**

The SRE Practitioner certification uses the Bloom Taxonomy of Educational Objectives in the construction of both the content and the examination.

- The SRE Practitioner exam contains Bloom 1 questions that test learners'
   knowledge of advanced SRE terms and concepts
- The SRE Practitioner exam contains Bloom 2 questions that test learners' **comprehension** of advanced SRE terms and concepts.
- The exam also contains Bloom 3 questions that test learners' **application** of advanced SRE concepts in various contexts.

### Format of the Examination

Candidates must achieve a passing score to gain the SRE Practitioner Certificate.

Exam Type	40 multiple choice questions
Duration	90 minutes
Prerequisites	The SRE Foundation certification from DevOps Institute is a mandatory prerequisite to sit the SRE Practitioner exam.  It is highly recommended that candidates complete the Site Reliability Engineering (SRE) Practitioner course from an accredited DevOps Institute Education Partner.
Supervised	No
Open Book	Yes
Passing Score	65%
Delivery	Web-based
Badge	SRE Practitioner Certified

### **Exam Topic Areas and Question Weighting**

The SRE Practitioner exam requires knowledge and understanding of the topic areas described below.

Topic Area	Description	Max Questions
SREP – 1:	SRE Anti-Patterns	5
SREP – 2:	SLO is the Proxy for Customer Happiness	5
SREP – 3:	Building Secure and Reliable Systems	8
SREP – 4:	Full Stack Observability	5

SREP – 5:	Using Platform Engineering & AlOps	6
SREP – 6:	SRE & Incident Response Management	4
SREP – 7:	Chaos Engineering	4
SREP - 8:	SRE is the Purest Form of DevOps	3

### **Concept and Terminology List**

The candidate is expected to understand, comprehend and apply the following SRE concepts and terms at Bloom's 1 (Knowledge), 2 (Comprehension), and 3 (Application) levels.

AI/ML (Artificial Intelligence/Machine

Learning)

Disaster Recovery

AIOps Distributed Ecosystems

Anti-Patterns Distributed Tracing

Application Lifecycle Development Domain Name System (DNS)

Auto Remediation DREAD

Blameless Post-mortems Error Budget

Break Glass Mechanism Game Days

Business Context Google's Golden Signals

Canary Deployment Immutable Framework

Capacity Planning Incident Command Framework

Change Advisory Board (CAB) Incident Response Management

Chaos Engineering Instrumentation

Circuit Breaker ITOps

Closed Loop Response (CLR) Key Principles of Incident Response

Containers Kubernetes

Custom Resource Definition (CRD) Lifecycle Management

DataOps Major Incident Response

Development Lifecycle Mean Time to Detect (MTTD)

DiRT Mean Time to Repair (MTTR)

Microservices

<sup>©</sup> DevOps Institute

MITRE ATT&CK Service Mesh

MLOps Shift-Left

Monitoring Site Reliability Engineering Center of

Excellence

Multiservice Architecture STRIDE

Network Operations Center (NOC) Swarming

Non-Abstract Large Scale Design System Boundaries

(NALSD)

"North Star" Telemetry

Observability The Three Ways

OODA Loop Three Pillars of Observability

Platform SRE USE

Quality of Service (QOS) Wheel of Misfortune

Rapid Elasticity

Reactive Manifesto

Real User Monitoring (RUM)

Reliability

Resiliency

Scale-up

Service Level Agreement (SLA)

Service Level Indicator (SLI)

Service Level Objective (SLO)



# DEVOPS GLOSSARY OF TERMS

This glossary is provided for reference only as it contains key terms that may or may not be examinable.





Term	Definition	Course Appearances
12-Factor App Design	A methodology for building modern, scalable, maintainable software-as-aservice applications.	Continuous Delivery Ecosystem Foundation
2-Factor or 2-Step Authentication	Two-Factor Authentication, also known as 2FA or TFA or Two-Step Authentication is when a user provides two authentication factors; usually firstly a password and then a second layer of verification such as a code texted to their device, shared secret, physical token or biometrics.	DevSecOps Foundation
A/B Testing	Deploy different versions of an EUT to different customers and let the customer feedback determine which is best.	Continuous Delivery Ecosystem Foundation
A3 Problem Solving	A structured problem-solving approach that uses a lean tool called the A3 Problem-Solving Report. The term "A3" represents the paper size historically used for the report (a size roughly equivalent to 11" x 17").	DevOps Foundation
Access Management	Granting an authenticated identity access to an authorized resource (e.g., data, service, environment) based on defined criteria (e.g., a mapped role), while preventing an unauthorized identity access to a resource.	DevSecOps Foundation
Access Provisioning	Access provisioning is the process of coordinating the creation of user accounts, e-mail authorizations in the form of rules and roles, and other tasks such as provisioning of physical resources associated with enabling new users to systems or environments.	DevSecOps Foundation
Administration Testing	The purpose of the test is to determine if an End User Test (EUT) is able to process administration tasks as expected.	Continuous Delivery Ecosystem Foundation



Advice Process	Any person making a decision must seek advice from everyone meaningfully affected by the decision and people with expertise in the matter. Advice received must be taken into consideration, though it does not have to be accepted or followed. The objective of the advice process is not to form consensus, but to inform the decision-maker so that they can make the best decision possible. Failure to follow the advice process undermines trust and unnecessarily introduces risk to the business.	DevSecOps Foundation
Agile	A project management method for complex projects that divides tasks into small "sprints" of work with frequent reassessment and adaptation of plans.	Certified Agile Service Manager, Site Reliability Engineering
Agile (adjective)	Able to move quickly and easily; well-coordinated. Able to think and understand quickly; able to solve problems and have new ideas.	Certified Agile Service Manager, DevOps Foundation, DevSecOps Foundation
Agile Coach	Help teams master Agile development and DevOps practices; enables productive ways of working and collaboration.	DevOps Leader
Agile Enterprise	Fast moving, flexible and robust company capable of rapid response to unexpected challenges, events, and opportunities.	DevOps Foundation, DevSecOps Foundation
Agile Manifesto	A formal proclamation of values and principles to guide an iterative and peoplecentric approach to software development. <a href="http://agilemanifesto.org">http://agilemanifesto.org</a>	Certified Agile Service Manager, DevOps Foundation
Agile Portfolio Management	Involves evaluating in-flight projects and proposed future initiatives to shape and govern the ongoing investment in projects and discretionary work. CA's Agile Central and VersionOne are examples.	Site Reliability Engineering
Agile Practice Owner	Role accountable for the overall quality of a service management practice and owner of the Practice Backlog.	Certified Agile Service Manager
Agile Principles	The twelve principles that underpin the Agile Manifesto.	Certified Agile Service Manager



Agile Process	Delivers "just enough" structure and control to enable the organization to achieve its service outcomes in the most expeditious, effective and efficient way possible. It is	Certified Agile Service
	easy to understand, easy to follow and prizes its collaboration and outcomes more than its artifacts.	Manager
Agile Process Engineering	An iterative and incremental approach to designing a process with short, iterative designs of potentially shippable process increments or microprocesses.	Certified Agile Service Manager
Agile Process Improvement	Ensures that IT Service Management agility introduced through Agile Process Engineering is continually reviewed and adjusted as part of IT Service Management's commitment to continual improvement.	Certified Agile Service Manager
Agile Service Management	Framework that ensures that ITSM processes reflect Agile values and are designed with "just enough" control and structure in order to effectively and efficiently deliver services that facilitate customer outcomes when and how they are needed.	Certified Agile Service Manager
Agile Service Management Artifacts	Practice Backlog, Sprint Backlog, Increment	Certified Agile Service Manager
Agile Service Management Events	Practice/Microprocess Planning, The Sprint, Sprint Planning, Process Standup, Sprint Review, Sprint Retrospective	Certified Agile Service Manager
Agile Service Management Roles	Agile Practice Owner, Agile Service Management Team, Agile Service Manager	Certified Agile Service Manager
Agile Service Management Team	A team of at least 3 people (including a customer or practitioner) that is accountable for a single microprocess or a complete service management practice.	Certified Agile Service Manager
Agile Service Manager	An Agile Service Management subject matter expert who is the coach and protector of the Agile Service Management Team.	Certified Agile Service Manager
Agile Software Development	Group of software development methods in which requirements and solutions evolve through collaboration between selforganizing, cross-functional teams. Usually applied using the Scrum or Scaled Agile Framework approach.	Continuous Delivery Ecosystem Foundation, DevOps Foundation, DevSecOps Foundation



Amazon Web Services (AWS)	Amazon Web Services (AWS) is a secure cloud services platform, offering compute power, database storage, content delivery and other functionality to help businesses scale and grow.	DevSecOps Foundation, Site Reliability Engineering
Analytics	Test results processed and presented in an organized manner in accordance with analysis methods and criterion.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Andon	A system gives an assembly line worker the ability, and moreover the empowerment, to stop production when a defect is found, and immediately call for assistance.	Continuous Delivery Ecosystem Foundation
Anti-pattern	A commonly reinvented but poor solution to a problem.	DevOps Foundation
Anti-fragility	Antifragility is a property of systems that increases its capability to thrive as a result of stressors, shocks, volatility, noise, mistakes, faults, attacks, or failures.	DevOps Foundation, Site Reliability Engineering
API Testing	The purpose of the test is to determine if an API for an EUT functions as expected.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Application Performance Management (APM)	APM is the monitoring and management of performance and availability of software applications. APM strives to detect and diagnose complex application performance problems to maintain an expected level of service.	Site Reliability Engineering
Application Programming Interface (API)	A set of protocols used to create applications for a specific OS or as an interface between modules or applications.	DevOps Foundation, DevSecOps Foundation
Application Programming Interface (API) Testing	The purpose of the test is to determine if an API for an EUT functions as expected.fgdsgsgds	Continuous Delivery Ecosystem Foundation
Application Release	Controlled continuous delivery pipeline capabilities including automation (release upon code commit).	Continuous Delivery Ecosystem Foundation



Application Release Automation (ARA) or Orchestration (ARO)	Controlled continuous delivery pipeline capabilities including automation (release upon code commit), environment modeling (end-to-end pipeline stages, and deploy application binaries, packages or other artifacts to target environments) and release coordination (project, calendar and scheduling management, integrate with change control and/or IT service support management).	Continuous Delivery Ecosystem Foundation
Application Test Driven Development (ATDD)	Acceptance Test Driven Development (ATDD) is a practice in which the whole team collaboratively discusses acceptance criteria, with examples, and then distills them into a set of concrete acceptance tests before development begins.	Continuous Delivery Ecosystem Foundation
Application Testing	The purpose of the test is to determine if an application is performing according to its requirements and expected behaviors.	Continuous Delivery Ecosystem Foundation
Application Under Test (AUT)	The EUT is a software application. E.g. Business application is being tested.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Architecture	The fundamental underlying design of computer hardware, software or both in combination.	DevSecOps Foundation
Artifact	Any element in a software development project including documentation, test plans, images, data files and executable modules.	Continuous Delivery Ecosystem Foundation, DevOps Foundation, DevSecOps Foundation
Artifact Repository	Store for binaries, reports and metadata. Example tools include: JFrog Artifactory, Sonatype Nexus.	Continuous Delivery Ecosystem Foundation, DevOps Foundation
Attack path	The chain of weaknesses a threat may exploit to achieve the attacker's objective. For example, an attack path may start by compromising a user's credentials, which are then used in a vulnerable system to escalate privileges, which in turn is used to access a protected database of information, which is copied out to an attacker's own server(s).	DevSecOps Foundation



Audit Management	The use of automated tools to ensure products and services are auditable, including keeping audit logs of build, test and deploy activities, auditing configurations and users, as well as log files from production operations.	Site Reliability Engineering
Authentication	The process of verifying an asserted identity. Authentication can be based on what you know (e.g., password or PIN), what you have (token or one-time code), what you are (biometrics) or contextual information.	DevSecOps Foundation
Authorization	The process of granting roles to users to have access to resources.	DevSecOps Foundation
Auto-DevOps	Auto DevOps brings DevOps best practices to your project by automatically configuring software development lifecycles. It automatically detects, builds, tests, deploys, and monitors applications.	Site Reliability Engineering
Auto-scaling	The ability to automatically and elastically scale and de-scale infrastructure depending on traffic and capacity variations while maintaining control of costs.	Continuous Delivery Ecosystem Foundation
Automated rollback	If a failure is detected during a deployment, an operator (or an automated process) will verify the failure and rollback the failing release to the previous known working state.	Site Reliability Engineering
Availability	Availability is the proportion of time a system is in a functioning condition and therefore available (to users) to be used.	Site Reliability Engineering
Backdoor	A backdoor bypasses the usual authentication used to access a system. Its purpose is to grant the cybercriminals future access to the system even if the organization has remediated the vulnerability initially used to attack the system.	DevSecOps Foundation
Backlog	Requirements for a system, expressed as a prioritized list of product backlog items usually in the form of 'User Stories'. The product backlog is prioritized by the Product Owner and should include functional, non-functional and technical team-generated requirements.	Continuous Delivery Ecosystem Foundation, DevOps Foundation



Basic Security Hygiene	A common set of minimum-security practices that must be applied to all environments without exception. Practices include basic network security (firewalls and monitoring), hardening, vulnerability and patch management, logging and monitoring, basic policies and enforcement (may be implemented under a "policies as	DevSecOps Foundation
	code" approach), and identity and access management.	
Batch Sizes	Refers to the volume of features involved in a single code release.	DevOps Leader
Bateson Stakeholder Map	A tool for mapping stakeholder's engagement with the initiative in progress.	DevOps Leader
Behavior Driven Development (BDD)	Test cases are created by simulating an EUT's externally observable inputs, and outputs. Example tool: Cucumber.	Continuous Delivery Ecosystem Foundation
Beyond Budgeting	A management model that looks beyond command-and-control towards a more empowered and adaptive state.	DevOps Leader
Black-Box	Test case only uses knowledge of externally observable behaviors of an EUT.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Blameless post mortems	A process through which engineers whose actions have contributed to a service incident can give a detailed account of what they did without fear of punishment or retribution.	Site Reliability Engineering
Blast Radius	Used for impact analysis of service incidents. When a particular IT service fails, the users, customers, other dependent services that are affected.	Site Reliability Engineering
Blue/Green Testing or Deployments	Taking software from the final stage of testing to live production using two environments labelled Blue and Green. Once the software is working in the green environment, switch the router so that all incoming requests go to the green environment - the blue one is now idle.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Bug	An error or defect in software that results in an unexpected or system-degrading condition.	DevSecOps Foundation



Bureaucratic Culture	Bureaucratic organizations are likely to use standard channels or procedures which may be insufficient in a crisis (Westrum).	DevOps Leader
Bursting	Public cloud resources are added as needed to temporarily increase the total computing capacity of a private cloud.	Continuous Delivery Ecosystem Foundation
Business Case	Justification for a proposed project or undertaking on the basis of its expected commercial benefit.	DevOps Leader
Business Continuity	Business continuity is an organization's ability to ensure operations and core business functions are not severely impacted by a disaster or unplanned incident that take critical services offline.	Site Reliability Engineering
Business Transformation	Changing how the business functions. Making this a reality means changing culture, processes, and technologies in order to better align everyone around delivering on the organization's mission.	DevSecOps Foundation
Business Value	The benefit of an approach to key business KPIs.	DevOps Leader
Cadence	Flow or rhythm of events.	DevOps Foundation, DevOps Leader, DevSecOps Foundation
CALMS Model	Considered the pillars or values of DevOps: Culture, Automation, Lean, Measurement, Sharing (as put forth by John Willis, Damon Edwards and Jez Humble).	DevOps Foundation
Canary Testing	A canary (also called a canary test) is a push of code changes to a small number of end users who have not volunteered to test anything. Similar to incremental rollout, it is where a small portion of the user base is updated to a new version first. This subset, the canaries, then serve as the proverbial "canary in the coal mine". If something goes wrong then a release is rolled back and only a small subset of the users are impacted.	Continuous Delivery Ecosystem Foundation, Site Reliability Engineering
Capacity	An estimate of the total amount of engineering time available for a given Sprint.	Certified Agile Service Manager



Capacity Test	The purpose of the test is to determine if the EUT can handle expected loads such as number of users, number of sessions, aggregate bandwidth.	Continuous Delivery Ecosystem Foundation
Capture-Replay	Test cases are created by capturing live interactions with the EUT, in a format that can be replayed by a tool. E.g. Selenium	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Carrots	Positive incentives, for encouraging and rewarding desired behaviors.	DevSecOps Foundation
Chain of Goals	A method designed by Roman Pichler of ensuring that goals are linked and shared at all levels through the product development process.	DevOps Leader
Change	Addition, modification or removal of anything that could have an effect on IT services. (ITIL® definition)	DevOps Foundation, DevSecOps Foundation
Change Failure Rate	A measure of the percentage of failed/rolled back changes.	Continuous Delivery Ecosystem Foundation, DevOps Foundation
Change Fatigue	A general sense of apathy or passive resignation towards organizational changes by individuals or teams.	DevSecOps Foundation
Change Lead Time	A measure of the time from a request for change to delivery of the change.	DevOps Foundation
Change Leader Development Model	Jim Canterucci's model for five levels of change leader capability.	DevOps Leader
Change Management	Process that controls all changes throughout their lifecycle. (ITIL definition)	DevOps Foundation, DevOps Leader, DevSecOps Foundation
Change Management (Organizational)	An approach to shifting or transitioning individuals, teams & organizations from a current state to a desired future state. Includes the process, tools & techniques to manage the peopleside of change to achieve the required business outcome(s).	DevOps Leader
Change-based Test Selection Method	Tests are selected according to a criterion that matches attributes of tests to attributes of the code that is changed in a build.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation



Chaos Engineering	The discipline of experimenting on a software system in production in order to build confidence in the system's capability to withstand turbulent and unexpected conditions.	Site Reliability Engineering
Chapter Lead	A squad line manager in the Spotify model who is responsible for traditional people management duties, is involved in day to day work and grows individual and chapter competence.	DevOps Leader
Chapters	A small family of people having similar skills and who work within the same general competency area within the same tribe. Chapters meet regularly to discuss challenges and area of expertise in order to promote sharing, skill development, reuse and problem solving.	DevOps Leader
ChatOps	An approach to managing technical and business operations (coined by GitHub) that involves a combination of group chat and integration with DevOps tools.  Example tools include: Atlassian HipChat/Stride, Microsoft Teams, Slack.	Continuous Delivery Ecosystem Foundation, DevOps Foundation, Continuous Testing Foundation, Site Reliability Engineering
Check-in	Action of submitting a software change into a system version management system.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
CI Regression Test	A subset of regression tests that are run immediately after a software component is built. Same as Smoke Test.	Continuous Delivery Ecosystem Foundation
Clear-Box	Same as Glass-Box Testing and White-Box Testing.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Cloud Computing	The practice of using remote servers hosted on the internet to host applications rather than local servers in a private datacenter.	DevSecOps Foundation, Site Reliability Engineering
Cloud-Native	Native cloud applications (NCA) are designed for cloud computing.	Continuous Delivery Ecosystem Foundation
Cloudbees	Cloudbees is a commercially supported proprietary automation framework tool which works with and enhances Jenkins by providing enterprise levels support and add-on functionality.	Continuous Testing Foundation



T	Ι
Tools like Kubecost, Replex, Cloudability use monitoring to analyze container clusters and optimize the resource deployment model.	Site Reliability Engineering
Tools that let you know the health of your deployment environments running in clusters such as Kubernetes.	Site Reliability Engineering
A group of computers (called nodes or members) work together as a cluster connected through a fast network acting as a single system.	Continuous Delivery Ecosystem Foundation
A measure of white box test coverage by counting code units that are executed by a test. The code unit may be a code statement, a code branch, or control path or data path through a code module.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
See also static code analysis, Sonar and Checkmarks are examples of tools that automatically check the seven main dimensions of code quality – comments, architecture, duplication, unit test coverage, complexity, potential defects, language rules.	Site Reliability Engineering
A repository where developers can commit and collaborate on their code. It also tracks historical versions and potentially identifies conflicting versions of the same code. Also referred to as "repository" or "repo."	DevSecOps Foundation
Software engineers inspect each other's source code to detect coding or code formatting errors.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Cognitive bias is a limitation in objective thinking that is caused by the tendency for the human brain to perceive information through a filter of personal experience and preferences: a systematic pattern of deviation from norm or rationality in judgment.	DevOps Leader
People jointly working with others towards a common goal.	DevOps Foundation, DevSecOps Foundation
	monitoring to analyze container clusters and optimize the resource deployment model.  Tools that let you know the health of your deployment environments running in clusters such as Kubernetes.  A group of computers (called nodes or members) work together as a cluster connected through a fast network acting as a single system.  A measure of white box test coverage by counting code units that are executed by a test. The code unit may be a code statement, a code branch, or control path or data path through a code module.  See also static code analysis, Sonar and Checkmarks are examples of tools that automatically check the seven main dimensions of code quality – comments, architecture, duplication, unit test coverage, complexity, potential defects, language rules.  A repository where developers can commit and collaborate on their code. It also tracks historical versions and potentially identifies conflicting versions of the same code. Also referred to as "repository" or "repo."  Software engineers inspect each other's source code to detect coding or code formatting errors.  Cognitive bias is a limitation in objective thinking that is caused by the tendency for the human brain to perceive information through a filter of personal experience and preferences: a systematic pattern of deviation from norm or rationality in judgment.  People jointly working with others towards a



	<u> </u>	
Collaborative Culture	A culture that applies to everyone which incorporates an expected set of behaviors, language and accepted ways of working with each other reinforcement by leadership.	Continuous Delivery Ecosystem Foundation
Compatibility Test	Test with the purpose to determine if and EUT interoperates with another EUT such as peer-to-peer applications or protocols.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Configuration Management	Configuration management (CM) is a systems engineering process for establishing and maintaining consistency of a product's performance, functional, and physical attributes with its requirements, design, and operational information throughout its life.	Continuous Delivery Ecosystem Foundation, DevOps Foundation, DevSecOps Foundation
Conformance Test	The purpose of the test is to determine if an EUT complies to a standard.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Constraint	Limitation or restriction; something that constrains. See also bottleneck.	DevOps Foundation, DevSecOps Foundation
Container	A way of packaging software into lightweight, stand-alone, executable packages including everything needed to run it (code, runtime, system tools, system libraries, settings) for development, shipment and deployment.	DevOps Foundation, DevSecOps Foundation, Site Reliability Engineering
Container Network Security	Used to prove that any app that can be run on a container cluster with any other app can be confident that there is no unintended use of the other app or any unintended network traffic between them.	Site Reliability Engineering
Container Registry	Secure and private registry for Container images. Typically allowing for easy upload and download of images from the build tools. Docker Hub, Artifactory, Nexus are examples.	Site Reliability Engineering
Container Scanning	When building a Container image for your application, tools can run a security scan to ensure it does not have any known vulnerability in the environment where your code is shipped. Blackduck, Synopsis, Synk, Claire and klar are examples.	Site Reliability Engineering



Continual Service Improvement (CSI)	One of the ITIL Core publications and a stage of the service lifecycle.	DevOps Foundation
Continuous Delivery (CD)	A methodology that focuses on making sure software is always in a releasable state throughout its lifecycle.	Continuous Delivery Ecosystem Foundation, DevOps Foundation, DevSecOps Foundation, Continuous Testing Foundation
Continuous Delivery (CD) Architect	A person who is responsible to guide the implementation and best practices for a continuous delivery pipeline.	Continuous Delivery Ecosystem Foundation
Continuous Delivery Pipeline	A continuous delivery pipeline refers to the series of processes which are performed on product changes in stages. A change is injected at the beginning of the pipeline. A change may be new versions of code, data or images for applications. Each stage processes the artifacts resulting from the prior stage. The last stage results in deployment to production.	Continuous Delivery Ecosystem Foundation, DevOps Foundation Course, DevOps Leader
Continuous Delivery Pipeline Stage	Each process in a continuous delivery pipeline. These are not standard. Examples are Design: determine implementation changes; Creation: implement an unintegrated version of design changes; Integration: merge	Continuous Delivery Ecosystem Foundation
Continuous Deployment	A set of practices that enable every change that passes automated tests to be automatically deployed to production.	DevOps Foundation, DevSecOps Foundation
Continuous Flow	Smoothly moving people or products from the first step of a process to the last with minimal (or no) buffers between steps.	DevOps Foundation, DevOps Leader, DevSecOps Foundation
Continuous Improvement	Based on Deming's Plan-Do-Check-Act, a model for ensure ongoing efforts to improve products, processes and services.	DevOps Foundation, DevOps Leader
Continuous Integration (CI)	A development practice that requires developers to merge their code into trunk or master ideally at least daily and perform tests (i.e. unit, integration and acceptance) at every code commit.	Continuous Delivery Ecosystem Foundation, DevOps Foundation, Continuous Testing Foundation, DevSecOps Foundation



Continuous Integration Tools	Tools that provide an immediate feedback loop by regularly merging, building and testing code. Example tools include: Atlassian Bamboo, Jenkins, Microsoft VSTS/Azure DevOps, TeamCity.	DevOps Foundation, DevOps Leader
Continuous Monitoring (CM)	This is a class of terms relevant to logging, notifications, alerts, displays and analysis of test results information.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Continuous Testing (CT)	This is a class of terms relevant to testing and verification of an EUT in a DevOps environment.	DevOps Foundation, Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Conversation Café	Conversation Cafés are open, hosted conversations in cafés as well as conferences and classrooms—anywhere people gather to make sense of our world.	DevOps Leader
Conway's Law	Organizations which design systems are constrained to produce designs which are copies of the communication structures of these organizations.	Continuous Delivery Ecosystem Foundation, DevOps Leader
Cooperation vs. Competition	The key cultural value shift toward being highly collaborative and cooperative, and away from internal competitiveness and divisiveness.	DevSecOps Foundation
COTS	Commercial-off-the-shelf solution	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Critical Success Factor (CSF)	Something that must happen for an IT service, process, plan, project or other activity to succeed.	DevSecOps Foundation
Cultural Iceberg	A metaphor that visualizes the difference between observable (above the water) and non-observable (below the waterline) elements of culture.	DevOps Leader
Culture (Organizational Culture)	The values and behaviors that contribute to the unique psychosocial environment of an organization.	Continuous Delivery Ecosystem Foundation, DevOps Foundation, DevSecOps Foundation



	T	1
Cumulative Flow Diagram	A cumulative flow diagram is a tool used in agile software development and lean product development. It is an area graph that depicts the quantity of work in a given state, showing arrivals, time in queue, quantity in queue, and departure.	DevOps Leader
Current State Map	A form of value stream map that helps you identify how the current process works and where the disconnects are.	DevOps Leader
Customer Reliability Engineer (CRE)	CRE is what you get when you take the principles and lessons of SRE and apply them towards customers.	Sire Reliability Engineering
Cycle Time	A measure of the time from start of work to ready for delivery.	DevOps Foundation, DevOps Leader. DevSecOps Foundation
Daily Scrum	Daily timeboxed event of 15 minutes or less for the Team to replan the next day of work during a Sprint.	DevOps Foundation
Dashboard	Graphical display of summarized test results.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Data Loss Protection (DLP)	Tools that prevent files and content from being removed from within a service environment or organization.	Site Reliability Engineering
Database Reliability Engineer (DBRE)	A person responsible for keeping database systems that support all user facing services in production running smoothly.	Site Reliability Engineering
Defect Density	The number of faults found in a unit E.g. # defects per KLOC, # defects per change.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Definition of Done	A shared understanding of expectations that the Increment must live up to in order to be releasable into production. (Scrum.org)	Certified Agile Service Manager, DevOps Leader
Delivery Cadence	The frequency of deliveries. E.g. # deliveries per day, per week, etc.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation



Delivery Package	Set of release items (files, images, etc.) that are packaged for deployment.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Deming Cycle	A four-stage cycle for process management, attributed to W. Edwards Deming. Also called Plan-Do-Check-Act (PDCA).	DevOps Foundation, DevSecOps Foundation
Dependency Firewall	Many projects depend on packages that may come from unknown or unverified providers, introducing potential security vulnerabilities. There are tools to scan dependencies but that is after they are downloaded. These tools prevent those vulnerabilities from being downloaded to begin with.	Site Reliability Engineering
Dependency Proxy	For many organizations, it is desirable to have a local proxy for frequently used upstream images/packages. In the case of CI/CD, the proxy is responsible for receiving a request and returning the upstream image from a registry, acting as a pull-through cache.	Site Reliability Engineering
Dependency Scanning	Used to automatically find security vulnerabilities in your dependencies while you are developing and testing your applications. Synopisis, Gemnasium, Retire.js and bundler-audit are popular tools in this area.	Site Reliability Engineering
Deployment	The installation of a specified version of software to a given environment (e.g., promoting a new build into production).	DevOps Foundation, DevSecOps Foundation
Design for Testability	An EUT is designed with features which enable it to be tested.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Design Principles	Principles for designing, organizing, and managing a DevOps delivery operating model.	DevOps Leader
Dev	Individuals involved in software development activities such as application and software engineers.	DevOps Foundation, DevSecOps Foundation



Developer (Dev)	Individual who has responsibility to develop changes for an EUT. Alternate: Individuals involved in software development activities such as application and software engineers.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Development Test	Ensuring that the developer's test environment is a good representation of the production test environment.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Device Under Test (DUT)	The DUT is a device (e.g. router or switch) being tested.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
DevOps	A cultural and professional movement that stresses communication, collaboration and integration between software developers and IT operations professionals while automating the process of software delivery and infrastructure changes. It aims at establishing a culture and environment where building, testing, and releasing software, can happen rapidly, frequently, and more reliably." (Source: Wikipedia)	Certified Agile Service Manager, DevOps Foundation, DevSecOps Foundation
DevOps Coach	Help teams master Agile development and DevOps practices; enables productive ways of working and collaboration.	DevOps Leader
DevOps Infrastructure	The entire set of tools and facilities that make up the DevOps system. Includes CI, CT, CM and CD tools.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
DevOps Kaizen	Kaizen is a Japanese word that closely translates to "change for better," the idea of continuous improvement—large or small—involving all employees and crossing organisational boundaries. Damon Edwards' DevOps Kaizen shows how making small, incremental improvements (little J's) has an improved impact on productivity long term.	DevOps Leader
DevOps Pipeline	The entire set of interconnected processes that make up a DevOps Infrastructure.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
DevOps Score	A metric showing DevOps adoption across an organization and the corresponding impact on delivery velocity.	Site Reliability Engineering



DevOps Toolchain	The tools needed to support a DevOps continuous development and delivery cycle from idea to value realisation.	Continuous Delivery Ecosystem Foundation, DevOps Foundation, DevSecOps Foundation, Continuous Testing Foundation
DevSecOps	A mindset that "everyone is responsible for security" with the goal of safely distributing security decisions at speed and scale to those who hold the highest level of context without sacrificing the safety required.	Continuous Delivery Ecosystem Foundation, DevOps Foundation, DevSecOps Foundation
Distributed Version Control System (DVCS)	The software revisions are stored in a distributed revision control system (DRCS), also known as a distributed version control system (DVCS).	Continuous Delivery Ecosystem Foundation
DMZ (De-Militarized Zone)	A DMZ in network security parlance is a network zone in between the public internet and internal protected resources. Any application, server, or service (including APIs) that need to be exposed externally are typically placed in a DMZ. It is not uncommon to have multiple DMZs in parallel.	DevSecOps Foundation
Dynamic Analysis	Dynamic analysis is the testing of an application by executing data in real-time with the objective of detecting defects while it is in operation, rather than by repeatedly examining the code offline.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Dynamic Application Security Testing (DAST)	A type of testing that runs against built code to test exposed interfaces.	DevSecOps Foundation
EggPlant	Automated function and regression testing of enterprise applications. Licensed by Test Plant.	Continuous Testing Foundation
Elastic Infrastructure	Elasticity is a term typically used in cloud computing, to describe the ability of an IT infrastructure to quickly expand or cut back capacity and services without hindering or jeopardizing the infrastructure's stability, performance, security, governance or compliance protocols.	Continuous Delivery Ecosystem Foundation



eNPS	Employee Net Promoter Score (eNPS) is a way for organizations to measure employee loyalty. The Net Promoter Score, originally a customer service tool, was later used internally on employees instead of customers.	DevOps Foundation, DevOps Leader
Entity Under Test (EUT)	This is a class of terms which refers to names of types of entities that are being tested. These terms are often abbreviated to the form xUT where "x" represents a type of entity under test.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Epic	A collection of related user stories that may need to be worked on across multiple Sprints.	Certified Agile Service Manager, DevOps Foundation
Erickson (Stages of Psychosocial Development)	Erik Erikson (1950, 1963) proposed a psychoanalytic theory of psychosocial development comprising eight stages from infancy to adulthood. During each stage, the person experiences a psychosocial crisis which could have a positive or negative outcome for personality development.	DevSecOps Foundation
Error Budget	The error budget provides a clear, objective metric that determines how unreliable a service is allowed to be within a specific time period.	Site Reliability Engineering
Error Budget Policies	An error budget policy enumerates the activity a team takes when they've exhausted their error budget for a particular service in a particular time period.	Site Reliability Engineering
Error Tracking	Tools to easily discover and show the errors that application may be generating, along with the associated data.	Site Reliability Engineering
External Automation	Scripts and automation outside of a service that is intended to reduce toil.	Site Reliability Engineering
Fail Early	A DevOps tenet referring to the preference to find critical problems as early as possible in a development and delivery pipeline.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Fail Often	A DevOps tenet which emphasizes a preference to find critical problems as fast as possible and therefore frequently.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation



Failure Rate	Fail verdicts per unit of time.	DevOps Foundation, Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
False Negative	A test incorrectly reports a verdict of "fail" when the EUT actually passed the purpose of the test.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
False Positive	A test incorrectly reports a verdict of "pass" when the EUT actually failed the purpose of the test.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Feature Toggle	The practice of using software switches to hide or activate features. This enables continuous integration and testing a feature with selected stakeholders.	DevOps Foundation, Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Federated Identity	A central identity used for access to a wide range of applications, systems, and services, but with a particular skew toward web-based applications. Also, often referenced as Identity-as-a-Service (IDaas). Any identity that can be reused across multiple sites, particularly via SAML or OAuth authentication mechanisms.	DevSecOps Foundation
Fire Drills	A planned failure testing process focussed on the operation of live services including service failure testing as well as communication, documentation, and other human factor testing.	Site Reliability Engineering
Flow	How people, products or information move through a process. Flow is the first way of The Three Ways.	DevOps Foundation, DevOps Leader, DevSecOps Foundation
Flow of Value	A form of map that shows the end-to-end value stream. This view is usually not available within the enterprise.	DevOps Leader
Framework	Backbone for plugging in tools. Launches automated tasks, collects results from automated tasks.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation



A core cultural value that with the freedom of self-management (such as afforded by DevOps) comes the responsibility to be diligent, to follow the advice process and to take ownership of both successes and failures.	DevSecOps Foundation
How often an application is released.	DevOps Leader
Tests to determine if the functional operation of the service is as expected.	Site Reliability Engineering
A form of value stream map that helps you develop and communicate what the target end state should look like and how to tackle the necessary changes.	DevOps Leader
Fuzzing or fuzz testing is an automated software testing practice that inputs invalid, unexpected, or random data into applications.	DevSecOps Foundation
Define and obtain consensus for criterion of changes promoted between all CD pipeline stages such as: Dev to CI stage / CI to packaging / delivery stage / Delivery to Deployment/Production stage.	Continuous Delivery Ecosystem Foundation
In a generative organization alignment takes place through identification with the mission. The individual "buys into" what he or she is supposed to do and its effect on the outcome. Generative organizations tend to be proactive in getting the information to the right people by any means. necessary. (Westrum)	DevOps Leader
A cultural view wherein long-term outcomes are of primary focus, which in turn drives investments and cooperation that enable an organization to achieve those outcomes.	DevSecOps Foundation
Same as Clear-Box Testing and White-Box Testing.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
The purpose of the test is to determine an EUT's performance boundaries, using incrementally stresses until the EUT reaches a peak performance. E.g. Determine the maximum throughput that can be handled without errors.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
	of self-management (such as afforded by DevOps) comes the responsibility to be diligent, to follow the advice process and to take ownership of both successes and failures.  How often an application is released.  Tests to determine if the functional operation of the service is as expected.  A form of value stream map that helps you develop and communicate what the target end state should look like and how to tackle the necessary changes.  Fuzzing or fuzz testing is an automated software testing practice that inputs invalid, unexpected, or random data into applications.  Define and obtain consensus for criterion of changes promoted between all CD pipeline stages such as: Dev to Cl stage / Cl to packaging / delivery stage / Delivery to Deployment/Production stage.  In a generative organization alignment takes place through identification with the mission. The individual "buys into" what he or she is supposed to do and its effect on the outcome. Generative organizations tend to be proactive in getting the information to the right people by any means. necessary. (Westrum)  A cultural view wherein long-term outcomes are of primary focus, which in turn drives investments and cooperation that enable an organization to achieve those outcomes.  Same as Clear-Box Testing and White-Box Testing.



Golden Circle	A model by Simon Sinek that emphasizes an understanding of the business' "why" before focusing on the "what" and "how".	DevOps Foundation
Golden Image	A template for a virtual machine (VM), virtual desktop, server or hard disk drive. (TechTarget)	DevSecOps Foundation
Goleman's Six Styles of Leadership	Daniel Goleman (2002) created the Six Leadership Styles and found, in his research, that leaders used one of these styles at any one time.	DevOps Leader
Governance, Risk Management and Compliance (GRC)	A software platform intended for concentrating governance, compliance and risk management data, including policies, compliance requirements, vulnerability data, and sometimes asset inventory, business continuity plans, etc. In essence, a specialized document and data repository for security governance. Or a team of people who specialize in IT/security governance, risk management and compliance activities. Most often nontechnical business analyst resources.	DevSecOps Foundation
Gray-Box	Test cases use a limited knowledge of the internal design structure of the EUT.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
GUI testing	The purpose of the test is to determine if the graphical user interface operates as expected.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Guilds	A "community of interest" group that welcomes anyone and usually cuts across an entire organization. Similar to a Community of Practice.	DevOps Foundation, DevOps Leader
Hand Offs	The procedure for transferring the responsibility of a particular task from one individual or team to another.	DevOps Foundation, DevOps Leader
Hardening	Securing a server or infrastructure environment by removing or disabling unnecessary software, updating to known good versions of the operating system, restricting network-level access to only that which is needed, configuring logging in order to capture alerts, configuring appropriate access management and installing appropriate security tools.	DevSecOps Foundation



ring
ring
,
n
n
n
,



Immutable Infrastructures	Instead of instantiating an instance (server, container, etc.), with error-prone, time-consuming patches and upgrades (i.e. mutations), replace it with another instance to introduce changes or ensure proper behavior.	Continuous Delivery Ecosystem Foundation, Site Reliability Engineering
Implementation Under Test	The EUT is a software implementation. E.g. Embedded program is being tested.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Improvement Kata	A structured way to create a culture of continuous learning and improvement. (In Japanese business, Kata is the idea of doing things the "correct" way. An organization's culture can be characterized as its Kata through its consistent role modeling, teaching and coaching.)	DevOps Foundation
Incentive model	A system designed to motivate people to complete tasks toward achieving objectives. The system may employ either positive or negative consequences for motivation.	DevSecOps Foundation
Incident	Any unplanned interruption to an IT service or reduction in the quality of an IT service. Includes events that disrupt or could disrupt the service. (ITIL definition)	DevSecOps Foundation
Incident Management	Process that restores normal service operation as quickly as possible to minimize business impact and ensure that agreed levels of service quality are maintained. (ITIL definition). Involves capturing the who, what, when of service incidents and the onward use of this data in ensuring service level objectives are being met.	DevSecOps Foundation, Site Reliability Engineering
Incident Response	An organized approach to addressing and managing the aftermath of a security breach or attack (also known as an incident). The goal is to handle the situation in a way that limits damage and reduces recovery time and costs.	DevSecOps Foundation, Site Reliability Engineering
Increment	Potentially shippable completed work that is the outcome of a Sprint.	Certified Agile Service Manager, DevOps Foundation



Incremental Rollout	Incremental rollout means deploying many small, gradual changes to a service instead of a few large changes. Users are incrementally moved across to the new version of the service until eventually all users are moved across. Sometimes referred to by colored environments e.g. Blue/green deployment.	Site Reliability Engineering
Infrastructure	All of the hardware, software, networks, facilities, etc., required to develop, test, deliver, monitor and control or support IT services. The term IT infrastructure includes all of the information technology but not the associated people, processes and documentation. (ITIL definition)	DevOps Foundation, DevSecOps Foundation
Infrastructure as Code	The practice of using code (scripts) to configure and manage infrastructure.	DevOps Foundation, DevSecOps Foundation
Infrastructure Test	The purpose of the test is to verify the framework for EUT operating. E.g. verify specific operating system utilities function as expected in the target environment.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Infrastructure-as-a- Service (IaaS)	On-demand access to a shared pool of configurable computing resources.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Integrated development environment (IDE)	An integrated development environment (IDE) is a software suite that consolidates the basic tools developers need to write and test software. Typically, an IDE contains a code editor, a compiler or interpreter and a debugger that the developer accesses through a single graphical user interface (GUI). An IDE may be a standalone application, or it may be included as part of one or more existing and compatible applications. (TechTarget)	DevSecOps Foundation
Integrated development environment (IDE) 'lint' checks	Linting is the process of running a program that will analyze code for potential errors (e.g., formatting discrepancies, non-adherence to coding standards and conventions, logical errors).	DevSecOps Foundation
Internet of Things	A network of physical devices that connect to the internet and potentially to each other through web-based wireless services.	DevOps Foundation, DevSecOps Foundation
Internal Automation	Scripts and automation delivered as part of the service that is intended to reduce toil.	Site Reliability Engineering



A mnemonic was created by Bill Wake as a reminder of the characteristics of a quality user story.	Certified Agile Service Manager
A family of standards that provide principles and generic guidelines on risk management.	DevSecOps Foundation
A process for capturing, tracking, and resolving bugs and issues throughout the software development lifecycle.	DevSecOps Foundation
Implementation and management of quality IT services that meet the needs of the business. (ITIL definition)	DevOps Foundation, Site Reliability Engineering
Tool licensed by Spirent Communications for creating automated test cases.	Continuous Testing Foundation
Provides a best practices framework that organizations can adapt to deliver and maintain IT services to provide optimal value for all stakeholders, including the customer.	Certified Agile Service Manager, DevOps Foundation, Site Reliability Engineering
Jenkins is a freeware tool. It is the most popular master automation framework tool, especially for continuous integration task automation. Jenkins task automation centers around timed processes. Many test tools and other tools offer plugins to simplify integration with Jenkins.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
The practice of continuous improvement.	DevOps Foundation
Method of work that pulls the flow of work through a process at a manageable pace.	Certified Agile Service Manager, DevOps Foundation
Tool that helps teams organize, visualize and manage work.	DevOps Foundation
The drama triangle is a social model of human interaction. The triangle maps a type of destructive interaction that can occur between people in conflict.	DevOps Leader
Something that is measured and reported upon to help manage a process, IT service or activity.	DevOps Foundation, DevOps Leader
Test cases are created using pre-defined names that reference programs useful for testing.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
	reminder of the characteristics of a quality user story.  A family of standards that provide principles and generic guidelines on risk management.  A process for capturing, tracking, and resolving bugs and issues throughout the software development lifecycle.  Implementation and management of quality IT services that meet the needs of the business. (ITIL definition)  Tool licensed by Spirent Communications for creating automated test cases.  Provides a best practices framework that organizations can adapt to deliver and maintain IT services to provide optimal value for all stakeholders, including the customer.  Jenkins is a freeware tool. It is the most popular master automation framework tool, especially for continuous integration task automation. Jenkins task automation centers around timed processes. Many test tools and other tools offer plugins to simplify integration with Jenkins.  The practice of continuous improvement.  Method of work that pulls the flow of work through a process at a manageable pace.  Tool that helps teams organize, visualize and manage work.  The drama triangle is a social model of human interaction. The triangle maps a type of destructive interaction that can occur between people in conflict.  Something that is measured and reported upon to help manage a process, IT service or activity.  Test cases are created using pre-defined names that reference programs useful for



Knowledge Management	Process that ensures the right information is delivered to the right place or person at the right time to enable an informed decision.	DevOps Foundation, DevSecOps Foundation
Known Error	Problem with a documented root cause and a workaround. (ITIL definition)	DevSecOps Foundation
Kolb's Learning Styles	David Kolb published his learning styles model in 1984; his experiential learning theory works on two levels: a four stage cycle of learning and four separate learning styles.	DevOps Leader
Kotter's Dual Operating System	John Kotter describes the need for a dual operating system that combines the entrepreneurial capability of a network with the organisational efficiency of traditional hierarchy.	DevOps Leader
Kubernetes	Kubernetes is an open-source container- orchestration system for automating application deployment, scaling, and management. It was originally designed by Google, and is now maintained by the Cloud Native Computing Foundation.	Site Reliability Engineering
Kubler-Ross Change Curve	Describes and predicts the stages of personal and organizational reaction to major changes.	DevOps Foundation
Lab-as-a-Service (LaaS)	Category of cloud computing services that provides a laboratory allowing customers to test applications without the complexity of building and maintaining the lab infrastructure.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Laloux (Culture Models)	Frederic Laloux created a model for understanding organizational culture.	DevSecOps Foundation
Latency	Latency is the delay incurred in communicating a message, the time a message spends "on the wire" between the initial request being received e.g. by a server and the response being recieved e.g. by a client.	Site Reliability Engineering
Laws of Systems Thinking	In his book 'The Fifth Discipline', Peter Senge outlines eleven laws will help the understanding of business systems and to identify behaviors for addressing complex business problems.	DevOps Leader



Lean	Production philosophy that focuses on reducing waste and improving the flow of processes to improve overall customer value.	Certified Agile Service Manager, DevOps Foundation, DevOps Leader, DevSecOps Foundation
Lean (adjective)	Spare, economical. Lacking richness or abundance.	DevOps Foundation, DevSecOps Foundation
Lean Canvas	Lean Canvas is a 1-page business plan template.	DevOps Leader
Lean Enterprise	Organization that strategically applies the key ideas behind lean production across the enterprise.	DevOps Foundation, DevSecOps Foundation
Lean IT	Applying the key ideas behind lean production to the development and management of IT products and services.	DevOps Foundation, DevSecOps Foundation
Lean Manufacturing	Lean production philosophy derived mostly from the Toyota Production System.	DevOps Foundation, DevSecOps Foundation
Lean Product Development	Lean Product Development, or LPD, utilizes Lean principles to meet the challenges of Product Development.	DevOps Leader
Lean Startup	A system for developing a business or product in the most efficient way possible to reduce the risk of failure.	DevOps Leader
License Scanning	Tools, such as Blackduck and Synopsis, that check that licenses of your dependencies are compatible with your application, and approve or blacklist them.	Site Reliability Engineering
Little's Law	A theorem by John Little which states that the long-term average number $L$ of customers in a stationary system is equal to the long-term average effective arrival rate $\lambda$ multiplied by the average time $W$ that a customer spends in the system.	DevOps Leader
LoadRunner	Tool used to test applications, measuring system behavior and performance under load. Licensed by HP.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Log	Serialized report of details such as test activities and EUT console logs.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation



Log Management	The collective processes and policies used to administer and facilitate the generation, transmission, analysis, storage, archiving and ultimate disposal of the large volumes of log data created within an information system.	DevSecOps Foundation
Logging	The capture, aggregation and storage of all logs associated with system performance including, but not limited to, process calls, events, user data, responses, error and status codes. Logstash and Nagios are popular examples.	Site Reliability Engineering
Logic Bomb (Slag Code)	A string of malicious code used to cause harm to a system when the programmed conditions are met.	DevSecOps Foundation
Longevity Test	The purpose of the test is to determine if a complete system performs as expected over an extended period of time	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Machine Learning	Data analysis that uses algorithms that learn from data.	DevOps Foundation
Malware	A program designed to gain access to computer systems, normally for the benefit of some third party, without the user's permission	DevSecOps Foundation
Many-factor Authentication	The practice of using at least 2 factors for authentication. The two factors can be of the same class.	DevSecOps Foundation
Mean Time Between Deploys	Used to measure deployment frequency.	DevOps Foundation, DevSecOps Foundation
Mean Time Between Failures (MTBF)	Average time that a CI or IT service can perform its agreed function without interruption. Often used to measure reliability. Measured from when the CI or service starts working, until the time it fails (uptime). (ITIL definition)	DevOps Foundation, DevSecOps Foundation
Mean Time to Detect Defects (MTTD)	Average time required to detect a failed component or device.	Continuous Delivery Ecosystem Foundation, DevOps Foundation, DevSecOps Foundation, Site Reliability Engineering
Mean Time to Discovery	How long a vulnerability or software bug/defect exists before it's identified.	DevSecOps Foundation



Mean Time to Patch	How long it takes to apply patches to environments once a vulnerability has been identified.	DevSecOps Foundation
Mean Time to Repair/Recover (MTTR)	Average time required to repair/recover a failed component or device. MTTR does not include the time required to recover or restore service.	DevOps Foundation, DevSecOps Foundation, Site Reliability Engineering
Mean Time to Restore Service (MTRS)	Used to measure time from when the CI or IT service fails until it is fully restored and delivering its normal functionality (downtime). Often used to measure maintainability. (ITIL definition).	DevOps Foundation, DevSecOps Foundation, Site Reliability Engineering
Mental Models	A mental model is an explanation of someone's thought process about how something works in the real world.	DevOps Leader
Merge	Action of integrating a software changes together into a software version management system.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Metric	Something that is measured and reported upon to help manage a process, IT service or activity.	DevOps Foundation, DevSecOps Foundation
Metrics	This is a class of terms relevant to measurements used to monitor the health of a product or infrastructure.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Microprocess	A distinct activity that can be defined, designed, implemented and managed independently and is generally associated with a primary service management practice. A microprocess may be integrated with other service management practices.	Certified Agile Service Manager
Microprocess Architecture	A collection of integrated microprocesses that collectively perform all of the activities necessary for an end-to-end service management practice to be successful.	Certified Agile Service Manager
Microservices	A software architecture that is composed of smaller modules that interact through APIs and can be updated without affecting the entire system.	DevOps Foundation
Mindset	A person's usual attitude or mental state is their mindset.	DevOps Leader



Minimum Viable Process	The least amount needed in order for this process or microprocess to meet its Definition of Done.	Certified Agile Service Manager
Minimum Viable Product	Most minimal version of a product that can be released and still provide enough value that people are willing to use it.	DevOps Leader
Mock Object	Mock is a method/object that simulates the behavior of a real method/object in controlled ways. Mock objects are used in unit testing. Often a method under a test calls other external services or methods within it. These are called dependencies.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Model	Representation of a system, process, IT service, CI, etc. that is used to help understand or predict future behavior. In the context of processes, models represent pre-defined steps for handling specific types of transactions.	DevSecOps Foundation
Model-Based	Test cases are automatically derived from a model of the entity under test. Example tool: Tricentus	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Monitoring	The use of a hardware or software component to monitor the system resources and performance of a computer service.	Site Reliability Engineering
Monitoring Tools	Tools that allow IT organizations to identify specific issues of specific releases and to understand the impact on end-users.	DevOps Leader
Monolithic	A software system is called "monolithic" if it has a monolithic architecture, in which functionally distinguishable aspects (for example data input and output, data processing, error handling, and the user interface) are all interwoven, rather than containing architecturally separate components.	Continuous Delivery Ecosystem Foundation
Multi-factor Authentication	The practice of using 2 or more factors for authentication. Often used synonymously with 2-factor Authentication.	DevSecOps Foundation
Multi-cloud	Multi-cloud DevOps solutions provide on- demand multi-tenant access to development and test environments.	Continuous Delivery Ecosystem Foundation



Network Reliability Engineer (NRE)	Someone who applies a reliability engineering approach to measure and automate the reliability of networks.	Site Reliability Engineering
Neuroplasticity	Describes the ability of the brain to form and reorganize synaptic connections, especially in response to learning or experience or following injury.	DevOps Leader
Neuroscience	The study of the brain and nervous system.	DevOps Leader
Non-functional requirements	Requirements that specify criteria that can be used to judge the operation of a system, rather than specific behaviors or functions (e.g., availability, reliability, maintainability, supportability); qualities of a system.	DevOps Foundation
Non-functional tests	Defined as a type of service testing intending to check non-functional aspects such as performance, usability and reliability of a software service.	Site Reliability Engineering
Object Under Test (OUT)	The EUT is a software object or class of objects.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Observability	Observability is focused on externalizing as much data as you can about the whole service allowing us to infer what the current state of that service is.	Site Reliability Engineering
On-call	Being on-call means someone being available during a set period of time, and being ready to respond to production incidents during that time with appropriate urgency.	Site Reliability Engineering
Open Source	Software that is distributed with its source code so that end user organizations and vendors can modify it for their own purposes.	DevOps Foundation, DevSecOps Foundation
Operations (Ops)	Individuals involved in the daily operational activities needed to deploy and manage systems and services such as quality assurance analysts, release managers, system and network administrators, information security officers, IT operations specialists and service desk analysts.	Continuous Delivery Ecosystem Foundation



Operations Management	Function that performs the daily activities needed to deliver and support IT services and the supporting IT infrastructure at the agreed levels. (ITIL)	DevSecOps Foundation
Ops	Individuals involved in the daily operational activities needed to deploy and manage systems and services such as quality assurance analysts, release managers, system and network administrators, information security officers, IT operations specialists and service desk analysts.	DevOps Foundation, DevSecOps Foundation
Orchestration	An approach to building automation that interfaces or "orchestrates" multiple tools together to form a toolchain.	DevOps Foundation, DevSecOps Foundation
Organization Culture	A system of shared values, assumptions, beliefs, and norms that unite the members of an organization.	DevOps Leader
Organization Model	For DevOps, an approach that models Spotify's Squad approach for organizing IT.	DevOps Leader
Organizational Change	Efforts to adapt the behavior of humans within an organization to meet new structures, processes or requirements.	DevOps Foundation, DevSecOps Foundation
OS Virtualization	A method for splitting a server into multiple partitions called "containers" or "virtual environments" in order to prevent applications from interfering with each other.	DevOps Foundation
Outcome	Intended or actual results.	DevOps Foundation, DevSecOps Foundation
Package Registry	A repository for software packages, artifacts and their corresponding metadata. Can store files produced by an organization itself or for third party binaries. Artifactory and Nexus are amongst the most popular.	Site Reliability Engineering
Pages	Something for creating supporting web pages automatically as part of a CI/CD pipeline.	Site Reliability Engineering
Patch	A software update designed to address (mitigate/remediate) a bug or weakness.	DevSecOps Foundation
Patch management	The process of identifying and implementing patches.	DevSecOps Foundation



Pathological Culture	Pathological cultures tend to view information as a personal resource, to be used in political power struggles (Westrum).	DevOps Leader, Site Reliability Engineering
Penetration Testing	An authorized simulated attack on a computer system that looks for security weaknesses, potentially gaining access to the system's features and data.	DevSecOps Foundation
People Changes	Focuses on changing attitudes, behaviors, skills, or performance of employees.	DevOps Leader
Performance Test	The purpose of the test is to determine an EUT meets its system performance criterion or to determine what a system's performance capabilities are.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Plan-Do-Check-Act	A four-stage cycle for process management and improvement attributed to W. Edwards Deming. Sometimes called the Deming Cycle or PDCA.	Certified Agile Service Manager, DevOps Foundation, DevSecOps Foundation
Platform-as-a-Service (PaaS)	Category of cloud computing services that provides a platform allowing customers to develop, run, and manage applications without the complexity of building and maintaining the infrastructure.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Plugin	A pre-programmed integration between an Orchestration tool and other tools. For example, many tools offer plugins to integrate with Jenkins.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Policies	Formal documents that define boundaries in terms of what the organization may or may not do as part of its operations.	DevOps Foundation, DevSecOps Foundation
Policy as Code	The notion that security principles and concepts can be articulated in code (e.g., software, configuration management, automation) to a sufficient degree that the need for an extensive traditional policy framework is greatly reduced. Standards and guidelines should be implemented in code and configuration, automatically enforced and automatically reported-on in terms of compliance, variance or suspected violations.	DevSecOps Foundation
Practice	A complete end to end capability for managing a specific aspect of service delivery (e.g. changes, incidents, service levels).	Certified Agile Service Manager



Practice Backlog	A prioritized list of everything that needs to be designed or improved for a practice including current and future requirements.	Certified Agile Service Manager
Practice/Microprocess Planning	A high-level event to define the goals, objectives, inputs, outcomes, activities, stakeholders, tools and other aspects of a practice or microprocess. This meeting is not timeboxed.	Certified Agile Service Manager
Pre-Flight	This is a class of terms which refers names of activities and processes that are conducted on an EUT prior to integration into the trunk branch.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Priority	The relative importance of an incident, problem or change; based on impact and urgency. (ITIL definition)	DevSecOps Foundation
Privileged Access Management (PAM)	Technologies that help organizations provide secured privileged access to critical assets and meet compliance requirements by securing, managing and monitoring privileged accounts and access. (Gartner)	DevSecOps Foundation
Problem	The underlying cause of one or more incidents. (ITIL definition)	DevOps Foundation, DevSecOps Foundation
Process	Structured set of activities designed to accomplish a specific objective. A process takes inputs and turns them into defined outputs. Related work activities that take specific inputs and produce specific outputs that are of value to a customer.	Certified Agile Service Manager, DevOps Foundation, DevSecOps Foundation
Process Changes	Focuses on changes to standard IT process, such as software development practices, ITIL processes, change management, approvals etc.	DevOps Leader
Process Owner	Role accountable for the overall quality of a process. May be assigned to the same person who carries out the Process Manager role, but the two roles may be separate in larger organizations. (ITIL definition)	DevSecOps Foundation
Process Standup	A timeboxed event of 15 minutes to inspect progress towards the Sprint Goal and identify impediments as quickly as possible.	Certified Agile Service Manager



Processing Time	The period during which one or more inputs are transformed into a finished product by a manufacturing or development procedure. (Business Dictionary)	DevOps Leader
Product Backlog	Prioritized list of functional and non- functional requirements for a system usually expressed as user stories.	DevOps Foundation
Product Owner	An individual responsible for maximizing the value of a product and for managing the product backlog. Prioritizes, grooms, and owns the backlog. Gives the squad purpose.	DevOps Leader
Programming-Based	Test cases are created by writing code in a programming language. E.g. JavaScript, Python, TCL, Ruby	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Provision Platforms	Tools that provide platforms for provisioning infrastructure (e.g., Puppet, Chef, Salt).	DevOps Leader
Psychological Safety	Psychological safety is a shared belief that the team is safe for interpersonal risk taking.	DevOps Leader
QTP	Quick Test Professional is a functional and regression test automation tool for software applications. Licensed by HP.	Continuous Testing Foundation
Quality Management	Tools that handle test case planning, test execution, defect tracking (often into backlogs), severity and priority analysis. CA's Agile Central	Site Reliability Engineering
Ranorex	GUI test automation framework for testing of desktop, web-based and mobile applications. Licensed by Ranorex.	Continuous Testing Foundation
Ransomware	Encrypts the files on a user's device or a network's storage devices. To restore access to the encrypted files, the user must pay a "ransom" to the cybercriminals, typically through a tough-to-trace electronic payment method such as Bitcoin.	DevSecOps Foundation
Regression testing	The purpose of the test is to determine if a new version of an EUT has broken somethings that worked previously.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation



	•	,
Regulatory compliance testing	The purpose of the test is to determine if an EUT conforms to specific regulatory requirements. E.g. verify an EUT satisfies government regulations for consumer credit card processing.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Release	Software that is built, tested and deployed into the production environment.	Continuous Delivery Ecosystem Foundation, DevOps Foundation, DevSecOps Foundation
Release Acceptance Criteria	Measurable attributes for a release package which determine whether a release candidate is acceptable for deployment to customers.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Release Candidate	A release package that has been prepared for deployment, may or may not have passed the Release.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Release Governance	Release Governance is all about the controls and automation (security, compliance, or otherwise) that ensure your releases are managed in an auditable and trackable way, in order to meet the need of the business to understand what is changing.	Site Reliability Engineering
Release Management	Process that manages releases and underpins Continuous Delivery and the Deployment Pipeline.	DevOps Foundation, DevSecOps Foundation
Release Orchestration	Typically a deployment pipeline, used to detect any changes that will lead to problems in production. Orchestrating other tools will identify performance, security, or usability issues. Tools like Jenkins and Gitlab CI can "orchestrate" releases.	Site Reliability Engineering
Relevance	A Continuous Testing tenet which emphasizes a preference to focus on the most important tests and test results	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Reliability	Measure of how long a service, component or CI can perform its agreed function without interruption. Usually measured as MTBF or MTBSI. (ITIL definition)	DevOps Foundation, DevSecOps Foundation, Site Reliability Engineering
Reliability Test	The purpose of the test is to determine if a complete system performs as expected under stressful and loaded conditions over an extended period of time.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation



Remediation	Action to resolve a problem found during DevOps processes. E.g. Roll-back changes for an EUT change that resulted in a CT a test case fail verdict.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Remediation Plan	Plan that determines the actions to take after a failed change or release. (ITIL definition)	DevOps Foundation, DevSecOps Foundation
Request for Change (RFC)	Formal proposal to make a change. The term RFC is often misused to mean a change record, or the change itself. (ITIL definition)	DevOps Foundation
Requirements Management	Tools than handle requirements definition, traceability, hierarchies & dependency. Often also handles code requirements and test cases for requirements.	Site Reliability Engineering
Resilience	Building an environment or organization that is tolerant to change and incidents.	DevSecOps Foundation, Site Reliability Engineering
Response Time	Response time is the total time it takes from when a user makes a request until they receive a response.	Site Reliability Engineering
REST	Representation State Transfer. Software architecture style of the world-wide web.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Restful API	Representational state transfer (REST) or RESTful services on a network, such as HTTP, provide scalable interoperability for requesting systems to quickly and reliably access and manipulate textual representations (XML, HTML, JSON) of resources using stateless operations (GET, POST, PUT, DELETE, etc.).	Continuous Delivery Ecosystem Foundation
RESTful interface testing	The purpose of the test is to determine if an API satisfies its design criterion and the expectations of the REST architecture.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Return on Investment (ROI)	Difference between the benefit achieved and the cost to achieve that benefit, expressed as a percentage.	DevOps Foundation, DevSecOps Foundation
Review Apps	Allow code to be committed and launched in real time – environments are spun up to allow developers to review their application.	Site Reliability Engineering



Rework	The time and effort required to correct defects (waste).	DevOps Leader
Risk	Possible event that could cause harm or loss or affect an organization's ability to achieve its objectives. The management of risk consists of three activities: identifying risks, analyzing risks and managing risks. The probable frequency and probable magnitude of future loss. Pertains to a possible event that could cause harm or loss or affect an organization's ability to execute or achieve its objectives.	DevOps Foundation, DevSecOps Foundation
Risk Event	Possible event that could cause harm or loss or affect an organization's ability to achieve its objectives. The management of risk consists of three activities: identifying risks, analyzing risks and managing risks.	DevOps Leader
Risk Management Process	The process by which "risk" is contextualized, assessed, and treated. From ISO 31000: 1) Establish context, 2) Assess risk, 3) Treat risk (remediate, reduce or accept).	DevSecOps Foundation
Robot Framework	TDD framework created and supported by Google.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Role	Set of responsibilities, activities and authorities granted to a person or team. A role is defined by a process. One person or team may have multiple roles. A set of permissions assigned to a user or group of users to allow a user to perform actions within a system or application.	DevOps Foundation, DevSecOps Foundation
Role-based Access Control (RBAC)	An approach to restricting system access to authorized users.	DevSecOps Foundation
Roll-back	Software changes which have been integrated are removed from the integration.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Root Cause Analysis (RCA)	Actions take to identify the underlying cause of a problem or incident.	DevOps Foundation, DevSecOps Foundation



		1
Rugged Development (DevOps)	Rugged Development (DevOps) is a method that includes security practices as early in the continuous delivery pipeline as possible to increase cybersecurity, speed, and quality of releases beyond what DevOps practices can yield alone.	DevOps Foundation
Rugged DevOps	Rugged DevOps is a method that includes security practices as early in the continuous delivery pipeline as possible to increase cybersecurity, speed, and quality of releases beyond what DevOps practices can yield alone.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Runbooks	A collection of procedures necessary for the smooth operation of a service. Previously manual in nature they are now usually automated with tools like Ansible.	Site Reliability Engineering
Runtime Application Self Protection (RASP)	Tools that actively monitor and block threats in the production environment before they can exploit vulnerabilities.	Site Reliability Engineering
Sanity Test	A very basic set of tests that determine if a software is functional at all.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Scalability	Scalability is a characteristic of a service that describes its capability to cope and perform under an increased or expanding load.	Site Reliability Engineering
Scaled Agile Framework (SAFE)	A proven, publicly available, framework for applying Lean-Agile principles and practices at an enterprise scale.	DevOps Foundation
SCARF Model	A summary of important discoveries from neuroscience about the way people interact socially.	DevOps Leader
Scheduling	Scheduling: the process of planning to release changes into production.	DevOps Leader
Scrum	A simple framework for effective team collaboration on complex projects. Scrum provides a small set of rules that create "just enough" structure for teams to be able to focus their innovation on solving what might otherwise be an insurmountable challenge. (Scrum.org)	Certified Agile Service Manager, DevOps Foundation
Scrum Pillars	Pillars that uphold the Scrum framework that include: Transparency, Inspection and Adaption.	Certified Agile Service Manager



Scrum Team	A self-organizing, cross-functional team that uses the Scrum framework to deliver products iteratively and incrementally. The Scrum Team consists of a Product Owner, Developers, and a Scrum Master.	DevOps Foundation
Scrum Values	A set of fundamental values and qualities underpinning the Scrum framework: commitment, focus, openness, respect and courage.	Certified Agile Service Manager
Scrum Master	An individual who provides process leadership for Scrum (i.e., ensures Scrum practices are understood and followed) and who supports the Scrum Team by removing impediments.	Certified Agile Service Manager, DevOps Foundation
Secret Detection	Secret Detection aims to prevent that sensitive information, like passwords, authentication tokens, and private keys are unintentionally leaked as part of the repository content.	Site Reliability Engineering
Secrets Management	Secrets management refers to the tools and methods for managing digital authentication credentials (secrets), including passwords, keys, APIs, and tokens for use in applications, services, privileged accounts and other sensitive parts of the IT ecosystem.	Site Reliability Engineering, DevSecOps Foundation
Secure Automation	Secure automation removes the chance of human error (and wilful sabotage) by securing the tooling used across the delivery pipeline.	Site Reliability Engineering
Security (Information Security)	Practices intended to protect the confidentiality, integrity and availability of computer system data from those with malicious intentions.	DevOps Foundation, DevSecOps Foundation
Security as Code	Automating and building security into DevOps tools and practices, making it an essential part of tool chains and workflows.	DevOps Foundation, DevSecOps Foundation
Security tests	The purpose of the test is to determine if an EUT meets its security requirements. An example is a test that determines if an EUT processes login credentials properly.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Selenium	Popular open-source tool for software testing GUI and web applications.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation



Self-healing	Self-healing means the ability of services and underlying environments to detect and resolve problems automatically. It eliminates the need for manual human intervention.	Site Reliability Engineering
Serverless	A code execution paradigm were no underlying infrastructure or dependencies are needed, moreover a piece of code is executed by a service provider (typically cloud) who takes over the creation of the execution environment. Lambda functions in AWS and Azure Functions are examples.	Site Reliability Engineering
Service	Means of delivering value to customers by facilitating outcomes customers want to achieve without the ownership of specific costs and risks.	DevOps Foundation, DevSecOps Foundation
Service Desk	Single point of contact between the service provider and the users. Tools like Service Now are used for managing the lifecycle of services as well as internal and external stakeholder engagement.	DevOps Foundation
Service Level Agreement (SLA)	Written agreement between an IT service provider and its customer(s) that defines key service targets and responsibilities of both parties. An SLA may cover multiple services or customers. (ITIL definition)	Site Reliability Engineering
Service Level Indicator (SLI)	SLI's are used to communicate quantitative data about services, typically to measure how the service is performing against an SLO.	Site Reliability Engineering
Service Level Objective (SLO)	An SLO is a goal for how well a product or service should operate. SLO's are set based on what an organization is expecting from a service.	Site Reliability Engineering
Seven Pillars of DevOps	Seven distinct "pillars" provide a foundation for DevOps systems which include Collaborative Culture, Design for DevOps, Continuous Integration, Continuous Testing, Continuous Delivery and Deployment, Continuous Monitoring and Elastic Infrastructures and Tools.	Continuous Delivery Ecosystem Foundation



Shift Left	An approach that strives to build quality into the software development process by incorporating testing early and often. This notion extends to security architecture, hardening images, application security testing, and beyond.	DevOps Foundation, DevSecOps Foundation
SilkTest	Automated function and regression testing of enterprise applications. Licensed by Borland.	Continuous Testing Foundation
Simian Army	The Simian Army is a suite of failure-inducing tools designed by Netflix. The most famous example is Chaos Monkey which randomly terminates services in production as part of a Chaos Engineering approach.	Site Reliability Engineering
Single Point of Failure (SPOF)	A single point of failure (SPOF) is a part of a system that, if it fails, will stop the entire system from working.	DevOps Foundation
Site Reliability Engineering (SRE)	The discipline that incorporates aspects of software engineering and applies them to infrastructure and operations problems. The main goals are to create scalable and highly reliable software systems.	Site Reliability Engineering
Smoke Test	A basic set of functional tests that are run immediately after a software component is built. Same as CI Regression Test.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Snapshot	Report of pass/fail results for a specific build.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Snippets	Stored and shared code snippets to allow collaboration around specific pieces of code. Also allows code snippets to be used in other code-bases. BitBucket and GitLab allow this.	Site Reliability Engineering
SOAP	Simple Object Access Protocol (SOAP) is an XML-based messaging protocol for exchanging information among computers.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Software Composition Analysis	A tool that checks for libraries or functions in source code that have known vulnerabilities.	DevSecOps Foundation



Software Defined Networking (SDN)	Software-Defined Networking (SDN) is a network architecture approach that enables the network to be intelligently and centrally controlled, or 'programmed,' using software applications.	Site Reliability Engineering
Software Delivery Lifecycle (SDLC)	The process used to design, develop and test high quality software.	DevOps Leader, Site Reliability Engineering
Software Version Management System	A repository tool which is used to manage software changes. Examples are: Azure DevOps, BitBucket, Git, GitHub, GitLab, VSTS.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Software-as-a-Service (SaaS)	Category of cloud computing services in which software is licensed on a subscription basis.	DevOps Foundation, Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Source Code Tools	Repositories for controlling source code for key assets (application and infrastructure) as a single source of truth.	DevOps Foundation, DevOps Leader
Spotify Squad Model	An organizational model that helps teams in large organizations behave like startups and be nimble.	DevOps Foundation, DevOps Leader
Sprint	A period of 2-4 weeks during which an increment of product work is completed.	Continuous Delivery Ecosystem Foundation
Sprint (Scrum)	A time-boxed iteration of work during which an increment of product functionality is implemented.	DevOps Foundation
Sprint Backlog	Subset of the backlog that represents the work that must be completed to realize the Sprint Goal.	Certified Agile Service Manager, DevOps Foundation
Sprint Goal	Purpose and objective of a Sprint, often expressed as a business problem that is going to be solved.	Certified Agile Service Manager
Sprint Planning	A 4 to 8-hour time-boxed event that defines the Sprint Goal, the increment of the Product Backlog that will be completed during the Sprint and how it will be completed.	Certified Agile Service Manager
Sprint Retrospective	A 1.5 to 3-hour time-boxed event during which the Team reviews the last Sprint and identifies and prioritizes improvements for the next Sprint.	Certified Agile Service Manager



Sprint Review	A time-boxed event of 4 hours or less where the Team and stakeholders inspect the work resulting from the Sprint and update the Product Backlog.	Certified Agile Service Manager
Spyware	Software that is installed in a computer without the user's knowledge and transmits information about the user's computer activities over back to the threat agent.	DevSecOps Foundation
Squads	A cross-functional, co-located, autonomous, self-directed team.	DevOps Leader
Stakeholder	Person who has an interest in an organization, project or IT service. Stakeholders may include customers, users and suppliers. (ITIL definition).	DevOps Foundation, DevSecOps Foundation
Stability	The sensitivity a service has to accept changes and the negative impact that may be caused by system changes. Services may have reliability, in that if functions over a long period of time, but may not be easy to change and so does not have stability.	Site Reliability Engineering
Standard Change	Pre-approved, low risk change that follows a procedure or work instruction. (ITIL definition)	DevOps Foundation, DevSecOps Foundation
Static Application Security Testing (SAST)	A type of testing that checks source code for bugs and weaknesses.	DevSecOps Foundation
Static Code Analysis	The purpose of the test is to detect source code logic errors and omissions such as memory leaks, unutilized variables, unutilized pointers.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Status Page	Service pages that easily communicate the status of services to customers and users.	Site Reliability Engineering
Sticks	Negative incentives, for discouraging or punishing undesired behaviors.	DevSecOps Foundation
Storage Security	A specialty area of security that is concerned with securing data storage systems and ecosystems and the data that resides on these systems.	Site Reliability Engineering
Stormstack	A commercial orchestration tool based on event triggers instead of time based.	Continuous Testing Foundation
StoStaKee	This stands for stop, start, and keep: this is an interactive time-boxed exercise focused on past events.	DevOps Leader



Strategic Sprint	A <4 week timeboxed Sprint during which strategic elements that were defined during Practice Planning are completed so that the Team can move on to designing the activities of the process.	Certified Agile Service Manager
Structural Changes	Changes in the hierarchy of authority, goals, structural characteristics, administrative procedures and management systems.	DevOps Leader
Supplier	External (third party) supplier, manufacturer or vendor responsible for supplying goods or services that are required to deliver IT services.	DevOps Foundation
Synthetic Monitoring	Synthetic monitoring (also known as active monitoring, or semantic monitoring) runs a subset of an application's automated tests against the system on a regular basis. The results are pushed into the monitoring service, which triggers alerts in case of failures.	Continuous Delivery Ecosystem Foundation
System of Record	A system of record is the authoritative data source for a data element or data entity.	DevOps Foundation, DevSecOps Foundation
System Test	The purpose of the test is to determine if a complete system performs as expected in its intended configurations.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
System Under Test (SUT)	The EUT is an entire system. E.g. Bank teller machine is being tested.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Tag-Based Test Selection Method	Tests and Code modules are pre-assigned tags. Tests are selected for a build matching pre-assigned tags.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Target Operating Model	A description of the desired state of the operating model of an organisation.	DevOps Leader
Teal Organization	An emerging organizational paradigm that advocates a level of consciousness including all previous world views within the operations of an organisation.	DevOps Leader



Team Dynamics	A measurement of how a team works together. Includes team culture, communication styles, decision making ability, trust between members, and the willingness of the team to change.	DevOps Leader
Techno-Economic Paradigm Shifts	Techno-economic paradigm shifts are at the core of general, innovation-based theory of economic and societal development as conceived by Carlota Perez.	DevOps Leader
Telemetry	Telemetry is the collection of measurements or other data at remote or inaccessible points and their automatic transmission to receiving equipment for monitoring.	Site Reliability Engineering
Test Architect	Person who has responsibility for defining the overall end-to-end test strategy for an EUT.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Artifact Repository	Database of files used for testing.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Campaign	A test campaign may include one or more test sessions.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Case	Set of test steps together with data and configuration information. A test case has a specific purpose to test at least one attribute of the EUT.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Creation Methods	This is a class of test terms which refers to the methodology used to create test cases.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation



Test Driven Development (TDD)	Test-driven development (TDD) is a software development process in which the developer writes a test before composing code. They then follow this process:  1. Write the test 2. Run the test and any others that are relevant and see them fail 3. Write the code 4. Run test(s) 5. Refactor code if needed 6. Repeat  Unit level tests and/or application tests are created ahead of the code that is to be tested.	Continuous Delivery Ecosystem Foundation, DevOps Foundation, Continuous Testing Foundation
Test Duration	The time it takes to run a test. E.g. # hours per test	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Environment	The test environment refers to the operating system (e.g. Linus, windows version etc.), configuration of software (e.g. parameter options), dynamic conditions (e.g. CPU and memory utilization) and physical environment (e.g. power, cooling) in which the tests are performed.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Fast	A CT tenet referring to accelerated testing.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Framework	A set of processes, procedures, abstract concept and environment in which automated tests are designed and implemented.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Harness	A tool which enables the automation of tests. It refers to the system test drivers and other supporting tools that requires to execute tests. It provides stubs and drivers which are small programs that interact with the software under test.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Hierarchy	This is a class of terms describes the organization of tests into groups.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation



Test Methodology	This class of terms identifies the general methodology used by a test. Examples are White Box, Black Box	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test result repository	Database of test results.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Results Trend- based	A matrix of correlation factors correlates test cases and code modules according to test result (verdict).	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Roles	This class of terms identifies general roles and responsibilities for people relevant to testing.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Script	Automated test case. A single test script may be implemented one or more test cases depending on the data.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Selection Method	This class of terms refers to the method used to select tests to be executed on a version of an EUT.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Session	Set of one or more test suites that are run together on a single build at a specific time.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Suite	Set of test cases that are run together on a single build at a specific time.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Trend	History of verdicts.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Type	Class that indicates what the purpose of the test is.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Test Version	The version of files used to test a specific build.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation



Tester	Individual who has responsibility to test a system or service.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Testing Tools	Tools that verify code quality before passing the build.	DevOps Leader
The Advice Process	Any person deciding must seek advice from everyone meaningfully affected by the decision and people with expertise in the matter. Advice received must be taken into consideration, though it does not have to be accepted or followed. The objective of the advice process is not to form consensus, but to inform the decision-maker so that they can make the best decision possible. Failure to follow the advice process undermines trust and unnecessarily introduces risk to the business.	DevSecOps Foundation
The Checkbox Trap	The situation wherein an audit-centric perspective focuses exclusively on "checking the box" on compliance requirements without consideration for overall security objectives.	DevSecOps Foundation
The Power of TED	The Power of TED* offers an alternative to the Karpman Drama Triangle with its roles of Victim, Persecutor, and Rescuer. The Empowerment Dynamic (TED) provides the antidote roles of Creator, Challenger and Coach and a more positive approach to life's challenges.	DevOps Leader
The Sprint	A period of <4 weeks during which an increment of work is completed.	Certified Agile Service Manager
The Three Ways	Key principles of DevOps – Flow, Feedback, Continuous experimentation and learning.	DevOps Foundation, DevSecOps Foundation, Site Reliability Engineering
Theory of Constraints	Methodology for identifying the most important limiting factor (i.e., constraint) that stands in the way of achieving a goal and then systematically improving that constraint until it is no longer the limiting factor.	DevOps Foundation, DevSecOps Foundation
Thomas Kilmann Inventory (TKI)	Measures a person's behavioral choices under certain conflict situations.	DevOps Foundation



Threat Agent	An actor, human or automated, that acts against a system with intent to harm or compromise that system. Sometimes also called a "Threat Actor."	DevSecOps Foundation	
Threat Detection	Refers to the ability to detect, report, and support the ability to respond to attacks. Intrusion detection systems and denial-of-service systems allow for some level of threat detection and prevention.		
Threat Intelligence	Information pertaining to the nature of a threat or the actions a threat may be known to be perpetrating. May also include "indicators of compromise" related to a given threat's actions, as well as a "course of action" describing how to remediate the given threat action.	DevSecOps Foundation	
Threat Modeling	A method that ranks and models potential threats so that the risk can be understood and mitigated in the context of the value of the application(s) to which they pertain.	DevSecOps Foundation	
Time to Market	The period of time between when an idea is conceived and when it is available to customers.	DevOps Leader	
Time to Value	Measure of the time it takes for the business to realize value from a feature or service.	DevOps Foundation, DevSecOps Foundation	
Time Tracking	Tools that allow for time to be tracked, either against individual issues or other work or project types.	Site Reliability Engineering	
Timebox	Maximum duration of a Scrum event.	Certified Agile Service Manager	
Toil	A kind of work tied to running a production service that tends to be manual, repetitive, automatable, tactical, devoid of enduring value.	Site Reliability Engineering	
Tool	This class describes tools that orchestrate, automate, simulate and monitor EUT's and infrastructures.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation	
Toolchain	A philosophy that involves using an integrated set of complimentary task specific tools to automate an end to end process (vs. a single-vendor solution).	DevOps Foundation	



Touch Time	In a Lean Production system the touch time is the time that the product is actually being worked on, and value is being added.	DevOps Leader
Tracing	Tracing provides insight into the performance and health of a deployed application, tracking each function or microservice which handles a given request.	Site Reliability Engineering
Traffic Volume	The amount of data sent and received by visitors to a service (e.g. a website or API).	Site Reliability Engineering
Training From the Back of the Room	An accelerated learning model in line with agile values and principles using the 4Cs instructional design "map" (Connection, Concept, Concrete Practice, Conclusion).	
Transformational Leadership	A leadership model in which leaders inspire and motivate followers to achieve higher performance by appealing to their values and sense of purpose, facilitating widescale organizational change (State of DevOps Report, 2017).	DevOps Leader
Tribe Lead	A senior technical leader that has broad and deep technical expertise across all the squads' technical areas. A group of squads working together on a common feature set, product or service is a tribe in Spotify's definitions.	DevOps Leader
Tribes	A collection of squads with a long-term mission that work on/in a related business capability.	DevOps Leader
Trojan (horses)	Malware that carries out malicious operations under the appearance of a desired operation such as playing an online game. A Trojan horse differs from a virus because the Trojan binds itself to non-executable files, such as image files, audio files whereas a virus requires an executable file to operate.	DevSecOps Foundation
Trunk	The primary source code integration repository for a software product.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Unit Test	The purpose of the test is to verify code logic.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation



Usability Test	The purpose of the test is to determine if humans have a satisfactory experience when using an EUT.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation	
User	Consumer of IT services. Or, the identity asserted during authentication (aka username).	DevOps Foundation, DevSecOps Foundation	
User and Entity Behavior Analytics (UEBA)	A machine learning technique to analyze normal and "abnormal" user behaviour with the aim of preventing the latter.		
User Story	A brief statement used to describe a requirement from a user's perspective. User stories are used to facilitate communication, planning, and negotiation activities between the stakeholders and the Agile Service Management Team.	Certified Agile Service Manager	
Value Added Time	The amount of time spent on an activity that creates value (e.g., development, testing).	DevOps Leader	
Value Efficiency	Being able to produce value with the minimum amount of time and resources.	DevOps Leader	
Value Stream	All of the activities to go from a customer request to a delivered product or service.	DevOps Foundation	
Value Stream Map	Visually depicts the end-to-end flow of activities from the initial request to value creation for the customer.	Certified Agile Service Manager	
Value Stream Mapping	Lean tool that depicts the flow of information, materials and work across functional silos with an emphasis on quantifying waste, including time and quality.	DevOps Foundation	
Value Stream Management	The ability to visualize the flow of value delivery through the DevOps lifecycle. Gitlab CI and the Jenkins extension (from Cloud Bees) DevOptics can provide this visualization.	Certified Agile Service Manager, Site Reliability Engineering	
Variable Speed IT	An approach where traditional and digital processes co-exist within an organization while moving at their own speed.	DevOps Foundation	
Velocity	Measure of the quantity of work done in a pre-defined interval. The amount of work an individual or team can complete in a given amount of time.	Certified Agile Service Manager, DevOps Foundation, DevSecOps Foundation, Site Reliability Engineering	



Verdict	Test result classified as Fail, Pass or Inconclusive.	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation
Version control tools	Ensure a 'single source of truth' and enable change control and tracking for all production artifacts.	DevOps Foundation
Vertical Scaling	Computing resources are scaled higher to increase processing speed e.g. using faster computers to run more tasks faster.	Continuous Testing Foundation
Virus (Computer)	Malicious executable code attached to a file that spreads when an infected file is passed from system to system that could be harmless (but annoying) or it could modify or delete data.	DevSecOps Foundation
Voice of the Customer (VOC)	A process that captures and analyzes customer requirements and feedback to understand what the customer wants.	DevOps Foundation
Vulnerability	A weakness in a design, system, or application that can be exploited by an attacker.	DevSecOps Foundation
Vulnerability Intelligence	Information describing a known vulnerability, including affected software by version, relative severity of the vulnerability (for example, does it result in escalation of privileges for user role, or does it cause a denial of service), exploitability of the vulnerability (how easy/hard it is to exploit), and sometimes current rate of exploitation in the wild (is it being actively exploited or is it just theoretical). This information will also often include guidance on what software versions are known to have remediated the described vulnerability.	DevSecOps Foundation
Vulnerability management	The process of identifying and remediating vulnerabilities.	DevSecOps Foundation
Wait Time	The amount of time wasted on waiting for work (e.g., waiting for development and test infrastructure, waiting for resources, waiting for management approval).	DevOps Leader
Waste (Lean Manufacturing)	Any activity that does not add value to a process, product or service.	Certified Agile Service Manager, DevOps Foundation, DevOps Leader



Water-scrum-fall	A hybrid approach to application lifecycle management that combines waterfall and Scrum development can complete in a given amount of time.	Continuous Delivery Ecosystem Foundation	
Waterfall (Project Management)	Linear and sequential approach to managing software design and development projects in which progress is seen as flowing steadily (and sequentially) downwards (like a waterfall).	Certified Agile Service Manager, Continuous Delivery Ecosystem Foundation, DevOps Foundation	
Weakness	An error in software that can be exploited by an attacker to compromise the application, system, or the data contained therein. Also called a vulnerability.	DevSecOps Foundation	
Web Application Firewall (WAF)	Tools that examine traffic being sent to an application and can block anything that looks malicious.	Site Reliability Engineering	
Web IDE	Tools that have a web client integrated development environment. Enables developer productivity without having to use a local development tool.	Site Reliability Engineering	
Westrum (Organization Types)	Ron Westrum developed a typology of organizational cultures that includes three types of organizations: Pathological (power-oriented), Bureaucratic (rule-oriented) and Generative (performance-oriented).	DevSecOps Foundation, Site Reliability Engineering	
White-Box Testing (or Clear-, Glass-, Transparent-Box Testing or Structural Testing)	Test cases use extensive knowledge of the internal design structure or workings of an application, as opposed to its functionality (i.e. Black-Box Testing).	Continuous Delivery Ecosystem Foundation, Continuous Testing Foundation	
Whitelisting	Application whitelisting is the practice of specifying an index of approved software applications that are permitted to be present and active on a computer system.	Continuous Delivery Ecosystem Foundation	
Wicked Questions	Wicked questions are used to expose the assumptions which shape our actions and choices. They are questions that articulate the embedded, and often contradictory assumptions, we hold about an issue, a problem or a context.	DevOps Leader	



Wiki	Knowledge sharing can be enabled by using tools like Confluence which create a rich Wiki of content	Site Reliability Engineering
Wilber's Quadrants	A model that recognises four modes of general approach for human beings. Two axes are used: on one axis people tend towards individuality OR collectivity.	DevOps Leader
Work in Progress (WIP)	Any work that has been started but has not been completed.	DevOps Foundation
Workaround	Temporary way to reduce or eliminate the impact of incidents or problems. May be logged as a known error in the Known Error Database. (ITIL definition).	DevOps Foundation, DevSecOps Foundation
World Café	Is a structured conversational process for knowledge sharing in which groups of people discuss a topic at several tables, with individuals switching tables periodically and getting introduced to the previous discussion at their new table by a "table host".	DevOps Leader
Worms (Computer)	Worms replicate themselves on a system by attaching themselves to different files and looking for pathways between computers. They usually slow down networks and can run by themselves (where viruses need a host program to run).	DevSecOps Foundation



This document provides links to articles and videos related to the Site Reliability Engineering (SRE) Practitioner course from DevOps Institute. This information is provided to enhance your understanding of SRE-related concepts and terms and is not examinable. Of course, there is a wealth of other videos, blogs and case studies on the web. We welcome suggestions for additions.

#### Videos Featured in the Course

Module	Title & Description	Link
Module 1	SRE Anti-patterns	https://www.youtube.com/watch?v
	Persistent SRE Antipatterns with	<u>=7Y06GIHIZI8</u>
	Blake Bisset and Jonah Horowitz	
Module 2	SLO is the Proxy for Customer Happiness	https://www.youtube.com/watch?v =dplGoewF4DA
	SLI/SLOs Deep Dive with	
	David Blank Edelman	
Module 3	Building Secure and Reliable Systems	https://youtu.be/0LIBmPW3F1c?t=690
	Building Secure & Reliable Systems with Heather Adkins	
Assignment	Non-Abstract Large Scale Design	https://www.youtube.com/watch?v
	Assignment	<u>=bOXkgMuVuYY</u>
	Google SRE classroom	
Module 4	Full Stack Observability	https://youtu.be/\$0-t-Mgbhsc?t=119
	OpenTelemetry with	
	Constance Caramanolis	
Module 5	Using Platform Engineering & AlOps	https://youtu.be/GSS_rTXkpFU?t=203
	AI in Ops with Stylianos Kampakis	



Module 6	SRE & Incident Response Management Runbook Automation with Damon Edwards	https://youtu.be/uyJ-FJXD5co?t=140
Assignment	Instrumenting Gremlin Assignment	https://youtu.be/w_Y6C0QgmL0?t=2 912
Module 7	Chaos Engineering Practical Chaos Engineering Adrian Hornsby	https://www.youtube.com/watch?t= 733&v=w Y6C0QgmL0&feature=yout u.be
Module 8	SRE is the Purest Form of DevOps SRE and Digital Business	https://youtu.be/T01ge8byOoU?t=25

#### Case Studies Featured in the Course

Module	Title & Description	Link
Module 1	SRE Anti-patterns	https://youtu.be/OUYTNywPk-s?t=148
	Defense in Depth works for Reliability – Monzo Bank	
Module 2	SLO is the Proxy for Customer	https://sre.google/workbook/slo-
	Happiness	engineering-case-studies/
	Home Depot	
Module 2	SLO is the Proxy for Customer	https://youtu.be/KmVDkBmnb4U?t=6
	Happiness	3
	Kudos Engineering	
Module 2	SLO is the Proxy for Customer	AWS summary of SLAs
	Happiness	SLAs for Microsoft Azure



	Cloud SLAs	Google Cloud Platform SLAs
Module 3	Building Secure and Reliable Systems	https://youtu.be/fNyT7HNKQfk?t=332
	Google Chrome Security Team	https://learning.oreilly.com/library/vie w/building-secure- and/9781492083115/ch19.html#onen ine case study chrome security tea m
Module 4	Full Stack Observability	https://youtu.be/5aNeNhKNlUM?t=12
	Planet Case Study	<u>83</u>
Module 5	Using Platform Engineering & AlOps  How FedEx uses AlOps to improve Operational Efficiencies'	https://opusresearch.net/wordpress/2017/10/02/case-study-how-fedex-is-leveraging-intelligent-assistants-ai-and-natural-language-understanding/
Module 5	Using Platform Engineering & AlOps  How 3M Modernized IT Event  Management and Alerting  Using AlOPs	https://www.splunk.com/en_us/form/ how-3m-modernized-it-event- management-and-alerting-with- splunk.html
Module 6	SRE & Incident Response Management  HCL helps its customers better manage and monitor their modern IT environments	https://www.moogsoft.com/resource s/aiops/case-study/moogsoft-hcl- technologies-case-study/
Module 8	SRE is the Purest Form of DevOps AirBnB's adoption of practical SRE	https://youtu.be/T01ge8byOoU?t=25



#### References to Articles

Module	Title & Description	Link
1. SRE Anti-patterns	Pitfalls on the Road to Creating a Successful SRE Program Like Netflix and Google	https://www.usenix.org/conference/lisa17/ conference-program/presentation/bisset
1. SRE Anti-patterns	Google Explains Why Others Are Doing SRE Wrong	https://www.infoq.com/news/2018/07/goo gle-explains-sre/
1. SRE Anti-patterns	Pets, Cattle, Chickens, and Snowflakes	https://subscription.packtpub.com/book/virtualization_and_cloud/9781785882753/1/ch01lvl1sec08/pets-cattle-chickens-and-snowflakes
1. SRE Anti-patterns	TechBiz Do you know what SRE is and what it can do for your business?	https://en.paradigmadigital.com/techbiz/ do-you-know-what-sre-is-and-what-it-can- do-for-your-business/
1. SRE Anti-patterns	SRE Anti-patterns in everyday life and what do they teach us	https://content.sonatype.com/2020addo- sre/addo2020-sre- petoff? hstc=160429922.baf9e6a9a6b98c 7f5180e92ae5a71875.161348730006.116151 15690600.1615123090615.4& hssc=160429 922.3.1615123090615& hsfp=1318888879
1. SRE Anti-patterns	How to "SRE" a Travel Emergency	https://www.sidewalksafari.com/2018/12/sr e-in-a-travel-emergency.html
1. SRE Anti-patterns	Site Reliability Engineering; that's music to my ears! SRE@bol.com	https://techlab.bol.com/site-reliability- engineering-thats-music-to-my-ears/



1. SRE Anti-patterns	SRE Anti-Pattern: "Do it. Do it again. Then do it again."	https://www.rundeck.com/blog/sre-anti- pattern-do-it-then-do-it-again
1. SRE Anti-patterns	4 DevOps Anti-patterns That Lead to Disaster	https://techbeacon.com/devops/4- devops-anti-patterns-lead-disaster
1. SRE Anti-patterns	Postmortem Culture: Learning from Failure	https://sre.google/workbook/postmortem- culture/
2. SLO is the proxy for Customer Happiness	10 Steps to Implement SLO in Your Organisation	https://content.sonatype.com/2020addo- sre/addo2020-sre- barteneva?hstc=160429922.baf9e6a9a6 b98c7f5180e92ae5a71875.1613487300061.1 615115690600.1615123090615.4&hssc=16 0429922.3.1615123090615&hsfp=1318888 879
2. SLO is the proxy for Customer Happiness	I want all the 9s in my SLO	https://www.youtube.com/watch?v=KhJb brKy1pw&t=2268s
2. SLO is the proxy for Customer Happiness	Evernote's SLO Story (Case Study)	https://sre.google/workbook/slo- engineering-case-studies/
2. SLO is the proxy for Customer Happiness	The Home Depot Case Story VALET	https://sre.google/workbook/slo- engineering-case-studies/
2. SLO is the proxy for Customer Happiness	ERROR BUDGET Practical application when 3rd party software is involved	https://youtu.be/uBbE8HTXbaw?t=882
3. Building Secure and Reliable Systems	Non-Abstract Large- Scale Design NALSD	https://docs.google.com/presentation/d/1 jW2S9yYZf5DYmri0KlOu1DFSZMTeOswl6ce5 V9xMlOQ/edit?resourcekey=0-



3. Building Secure and Reliable Systems	The intersection of Security and Reliability	https://learning.oreilly.com/library/view/bui lding-secure- and/9781492083115/ch01.html#reliability_v ersus_security_design_cons
3. Building Secure and Reliable Systems	How do you design for a changing landscape?	https://learning.oreilly.com/library/view/building-secure-and/9781492083115/ch07.html#design_for_achanging_landscape  https://learning.oreilly.com/library/view/building-secure-and/9781492083115/ch07.html#design_for_achanging_landscape
3. Building Secure and Reliable Systems	Building successful SRE in large enterprises	https://www.oreilly.com/library/view/veloci ty- conference/9781492025870/video323188.h tml
3. Building Secure and Reliable Systems	Data Privacy and Security	https://www.varonis.com/blog/data- privacy/
3. Building Secure and Reliable Systems	"Building Reliable Systems Masterclass" course	http://www.russmiles.com/building- reliable-systems.html
3. Building Secure and Reliable Systems	Clarifying Containers, Microservices, and Kubernetes	https://devopsinstitute.com/clarifying- containers-microservices-and-kubernetes- with-tracy-ragan-of-deployhub-e10/
3. Building Secure and Reliable Systems	Cloud Operations and Analytics	https://www.slideshare.net/JorgeCardoso4/cloud-operations-and-analytics-improving-distributed-systems-reliability-using-fault-injection



3. Building Secure and Reliable Systems	Kubernetes Up & Running	https://clouddamcdnprodep.azureedge.n et/gdc/gdckTlBtc/original
4. Full Stack Observability	A Collection of Best Practices for Production Services	https://sre.google/sre-book/service-best- practices/
4. Full Stack Observability	Differences Between Synthetic Monitoring and Real User Monitoring	https://stackify.com/rum-vs-synthetic- monitoring/
4. Full Stack Observability	Good article on Observability and Monitoring	https://youtu.be/pY44UX8j4Pc?t=26
4. Full Stack Observability	Observability — A 3- Year Retrospective	https://thenewstack.io/observability-a-3- year-retrospective/
4. Full Stack Observability	Monitoring and Observability — What's the Difference and Why Does It Matter?	https://thenewstack.io/monitoring-and- observability-whats-the-difference-and- why-does-it-matter/
4. Full Stack Observability	Observability at Google	https://www.oreilly.com/library/view/obser vability-at- google/0636920424239/video329911.html
5. Platform Engineering and AIOPs	Building Self-Healing with AlOps	https://www.dynatrace.com/news/blog/sh ift-left-sre-building-self-healing-into-your- cloud-delivery-pipeline/



5. Platform Engineering and AIOPs	The Seven Steps to Implement #DataOps	https://www.youtube.com/watch?v=muhs 8zJnETM
5. Platform Engineering and AIOPs	Proactively Detect Unusual Behavior	https://newrelic.com/lp/aiops?utm_camp aign=AlOps- Emerging&utm_medium=cpc&utm_source =google&utm_content=AlO_LP&fiscal_year =FY21&quarter=Q4&gtm=OPS&program=ai ops&ad_type=None&geo=EMERGING&ut m_term=aiops&utm_device=c&_bt=504169 602696&_bm=e&_bn=g&gclid=Cj0KCQjw5 PGFBhC2ARIsAIFIMNeggGr9EMZ_f9XTeybtx JIdKxxZEFp1g4oMXpPyaOq5NUBHT5FyWFU aAn6uEALw_wcB
5. Platform Engineering and AIOPs	Gartner Market Guide for AlOps Platforms, 2021	https://digitate.com/market-guide-for- aiops- platforms/?utm_source=google&utm_medi um=search&utm_campaign=corporate- aiops&utm_content=aiops-gartner-Aiops
5. Platform Engineering and AIOPs	A successful digital transformation requires AlOps	https://sciencelogic.com/solutions/aiops
5. Platform Engineering and AIOPs	The Rise of Platform Engineering	https://softwareengineeringdaily.com/202 0/02/13/setting-the-stage-for-platform- engineering/
5. Platform Engineering and AIOPs	Top 5 things to know about Platform Engineering	https://www.youtube.com/watch?v=htQfj kITNrM
6. SRE & Incident Response Management	High Velocity IT	https://www.axelos.com/news/blogs/janu ary-2020/itil-4-high-velocity-it-the-digital- enterprise



6. SRE & Incident Response Management	Valuable Investments, Fast Development, Resilient Operations	https://www.itsmacademy.com/content/ What is ITIL 4 HVIT.pdf
6. SRE & Incident Response Management	Recovery Point Objective (RPO)	https://whatis.techtarget.com/definition/recovery-point-objective-RPO
6. SRE & Incident Response Management	DevOps vs. ITIL 4 vs. SRE: Stop the arguments	https://enterprisersproject.com/article/201 9/11/devops-vs-itil4-vs-SRE
6. SRE & Incident Response Management	Welcome to the future of ITIL 4	https://www.axelos.com/welcome-to-itil-4
6. SRE & Incident Response Management	Unmanaged Incidents	https://sre.google/sre-book/managing- incidents/
6. SRE & Incident Response Management	Being on call?	https://response.pagerduty.com/about/
6. SRE & Incident Response Management	Why a 3-tier support should be replaced with SWARMING	https://jonstevenshall.medium.com/itsm- devops-and-why-the-three-tier-structure- must-be-replaced-with-swarming- 91e76ba22304
6. SRE & Incident Response Management	This is How to Use ITIL, DevOps, and SRE Best Practices	https://www.blameless.com/blog/itil- devops-sre-work-together
6. SRE & Incident Response Management	Incident Response Training, PagerDuty Academy	https://response.pagerduty.com/training/courses/incident response/



6. SRE & Incident Response Management	Tracking Every Release	https://codeascraft.com/2010/12/08/track -every-release/
6. SRE & Incident Response Management	Accelerating SREs to On-Call and Beyond	https://sre.google/sre-book/accelerating- sre-on-call/
7. Chaos Engineering	Chaos engineering: Stress Testing the Cloud	https://www2.deloitte.com/us/en/pages/consulting/articles/chaos-engineering-stress-testing-the-cloud-sre-devops-cloud-valuedevops-reliability-risk-management-testmanagement.html
7. Chaos Engineering	Disaster Recovery Testing (DiRT) Test Template	https://docs.google.com/document/d/1nx YuX62SvKst9YuozJCsBEWU9AltvtV9mgnd- HbzBrA/edit#heading=h.hpgc9ckwivdb
7. Chaos Engineering	Security Chaos Engineering	https://www.oreilly.com/library/view/securi ty-chaos-engineering/9781492080350/
7. Chaos Engineering	Principles of Chaos Engineering	https://principlesofchaos.org/
7. Chaos Engineering	Chaos Engineering: the history, principles, and practice	https://www.gremlin.com/community/tutorials/chaos-engineering-the-history-principles-and-practice/
7. Chaos Engineering	How to Use Chaos Engineering to Break Things Productively	https://www.infoq.com/articles/chaos- engineering-security-networking/
7. Chaos Engineering	GameDay Case Study	https://queue.acm.org/detail.cfm?id=2371 297



7. Chaos Engineering	Security and chaos engineering	https://www.rochestersecurity.org/wp- content/uploads/2018/10/RSS2018-B1.pdf
8. SRE is the Purest Form of DevOps	SRE Essentials	https://learning.oreilly.com/playlists/7b526 ba0-0ba2-4d89-baac-25e9f3877d7f/
8. SRE is the Purest Form of DevOps	97 Things Every SRE Should Know	https://learning.oreilly.com/library/view/97- things-every/9781492081487/
8. SRE is the Purest Form of DevOps	Building an SRE Organisation	https://www.slideshare.net/FranklinAngulo 1/building-an-sre-organization- squarespace
8. SRE is the Purest Form of DevOps	A Day in the Life of a New SRE	https://blog.newrelic.com/engineering/wh at-does-an-sre-do/
8. SRE is the Purest Form of DevOps	The Evolving SRE Engagement Model	https://sre.google/sre-book/evolving-sre- engagement-model/
8. SRE is the Purest Form of DevOps	I''m SRE and You Can Too! —A Fine Manual.	https://youtu.be/Cg877bv_xig?t=1027
8. SRE is the Purest Form of DevOps	I'm an SRE Lead! Now What? How to Bootstrap and Organize Your SRE Team	https://www.youtube.com/watch?v=KbKf AwPbQgk
8. SRE is the Purest Form of DevOps	Psychological Safety for SRE	https://www.oreilly.com/library/view/seeking- sre/9781491978856/ch27.html#psychological safety in sre



8. SRE is the Purest Form of DevOps	Liz and Dave on how to implement SRE	https://learning.oreilly.com/videos/velocity -
'	·	conference/9781492025870/978149202587 0-video323188

## SRE Book References, Articles and Reports

Site Reliability Engineering	https://landing.google.com/sre/sre-book/toc/index.html
The Site Reliability Workbook	https://landing.google.com/sre/workbook/toc/ https://learning.oreilly.com/library/view/site-reliability- engineering/9781491929117/
SRE Essentials	https://learning.oreilly.com/playlists/7b526ba0-0ba2-4d89-baac- 25e9f3877d7f/
Seeking SRE	https://learning.oreilly.com/library/view/seeking- sre/9781491978856/
Building Secure and Reliable Systems	https://learning.oreilly.com/library/view/building-secure- and/9781492083115/
Database Reliability Engineering	https://learning.oreilly.com/library/view/database-reliability- engineering/9781491925935/
Practical Site Reliability Engineering	https://learning.oreilly.com/library/view/practical-site-reliability/9781788839563/
Chaos Engineering	https://learning.oreilly.com/library/view/chaos- engineering/9781492043850/



Security Chaos Engineering	https://www.oreilly.com/library/view/security-chaos- engineering/9781492080350/
Real-World SRE	https://www.amazon.com/Real-World-SRE-Survival-Responding- Maximizing/dp/1788628888?asin=1788628888&revisionId=&format =4&depth=1
2021 SRE Report by Catchpoint	https://pages.catchpoint.com/2021-sre-report



# SRE Practitioner v1.0 Sample Examination with Answer Key

- 1. Why are Containers important for modern/distributed architecture?
  - A. Containers lead to consistent storage of code that keeps applications fresh
  - B. Containers are the only processes that run on Cloud
  - C. Containers lead to consistent development and deployment methodologies that can be iterated easily
  - D. Containers are the processes that support infrastructure as code
- 2. How can you secure your Docker containers?
  - A. Choose third party containers carefully and consider 3<sup>rd</sup> party tools to secure
  - B. Enable Docker content trust
  - C. Set resource limit for your containers
  - D. All of the above
- 3. Prompted by customer complaints an organization is looking for ways to improve its major incident management process. Customers complaints include the frequency of system outages and the lack of communication during outages. A team has identified several improvement opportunities. Which would address the customers' concerns?
  - A. Invest in detection and alerting systems
  - B. Establish an incident command framework
  - C. Implement a new incident management system
  - D. Use swarming to engage multiple people in incident resolution
- 4. What is the best definition for DNS?
  - A. The domain name system (DNS) is a decentralized naming system for resources connected to the internet or a private network
  - B. Humans cannot feasibly remember IP addresses, so DNS allows the assigning of a human-readable name, such as google.com, to use in place of the IP address
  - C. A relational database that has metadata of IPs
  - D. All of the above
- 5. What are the 3 most important things to consider when considering Data architecture?
  - A. Security, Performance and Network
  - B. Security, Compliance and Performance
  - C. Confidentiality, Integrity and Availability
  - D. Compliance, Reliability and Security

- 6. Which type of cloud deployment model reduces the complexity of building, testing, and deploying applications by keeping the developers inside a well-defined environment, which limits the ability for the developers to make mistakes?
  - A. Software as a Service
  - B. Integration as a Service
  - C. Infra as a Service
  - D. Platform as a Service
- 7. A company is working with partners to develop a new cloud service to be used in a heavily regulated industry. It wants to ensure the components that are consumed by development teams have the necessary governance, controls and standards built-in. Which approach would achieve this?
  - A. Adopt a Platform SRE approach
  - B. Embed SREs with development teams
  - C. Establish an SRE Center of Excellence
  - D. Design for security
- 8. System boundaries help in defining meaningful SLAs. The key points to consider are:
  - A. Be logical to define a clear capability
  - B. Base it on domain-based design principles
  - C. Customer-facing capabilities only
  - D. Tracking on a system boundary that is large enough than individual system components
- 9. What is telemetry?
  - A. Telemetry is the process of recording the behavior of your systems
  - B. Telemetry is a widely known Software as a Service (SaaS) tool to plan and execute DevOps projects
  - C. Telemetry is a communication tool used by DevOps teams at geographically distributed locations
  - D. None of these

- 10. What is the error budget for a SLO of 95% on the page served less than 200ms over the past 6 hours?
  - A. Allow 5% failure of page requests served in < 200ms over past 24 hours
  - B. Allow 5% failure of page requests served in < 200ms over past 6 hours
  - C. Allow 5% failure of 95% percentile latency over past 6 hours
  - D. Allow 5% failure of service availability for the past 6 hours
- 11. Which of the following practices supports SRE The First Way?
  - A. Shared On-call Rotation
  - B. Value Stream Mapping
  - C. Agile Process
  - D. Improvement Kata model
- 12. When a 3rd party downstream system provides an error rate of 1%, and your backend has an error rate of 0.1%, what is the error rate that will be inherited by your middle-tier?
  - A. 1.1%
  - B. 0.1%
  - C. 1%
  - D. 1.2%
- 13. An SRE wants to establish SLOs for the customer-facing capabilities of a system. This is a complex system that relies on several third-party services. What should the SRE identify FIRST?
  - A. System boundaries
  - B. SLIs for system components
  - C. Error rates of third-party services
  - D. SLIs for each capability
- 14. What are the 2 major tenets of a major incident?
  - A. Communication and collaboration
  - B. Resolution and lesson learned
  - C. Rolling out mitigation and monitoring
  - D. Identifying cause and resolution

- 15. For implementing Service Level Objectives (SLOs), Jane used request-driven services such as HTTP servers and Application Programming Interface (API) endpoints. She and the development team decided the SLOs should be against a 2-week sprint cycle and that the Service Level Indicator (SLI) on both availability and latency should be based on remote probes sent every minute. This helped drive product resilience because:
  - A. SLOs and Error Budgets help drive reliability if built correctly
  - B. Error budgets help with system technical debt
  - C. SLOs and Error Budgets helped place request-based service with dashboards
  - D. All of the above
- 16. If your error budget allows 1% failure of 95% percentile home latency over 5 minutes < 200ms for the past month, what is the Service Level Indicator (SLI) for this home page?
  - A. 95th percentile of home page latency over 5 mins < 200ms
  - B. 99% of 95th percentile of home page latency over 5 mins < 200ms for the past month
  - C. 99% of home page should be available for 99% of time over 30 days
  - D. None of the above
- 17. SREs are deployed at application level, system level, and enterprise level based on the organizational context. When working at a system level, they participate in the following activities:
  - A. Application system design
  - B. System architecture readiness
  - C. Engineering center for excellence
  - D. None of the above
- 18. Provide a guesstimate for GB bandwidth requirements when using peak at 1.25x times load. Facts: 200 TB of data per day. (Calculate per second requirements)
  - A. 31 Gbps
  - B. 60 Gbps
  - C. 45 Gbps
  - D. 10 Gbps

- 19. Joe is trying to estimate (on the higher side) the bandwidth requirements at average load on a metadata size of 8 KB. The assumptions are there are 1 million users who search 50 times a day and 10 results are yielded per search. What is the average load in terms of bandwidth per second?
  - A. 20 MB/sec
  - B. 50 MB/sec
  - C. 40 MB/sec
  - D. 10 MB/sec
- 20. Non-Abstract Large-Scale Design (NALSD) is a critical skill for SRE because:
  - A. It provides a way to design upfront, real-world requirements
  - B. Component isolation, graceful degradation and capacity planning are thought through well to avoid wastage
  - C. It is a whiteboard exercise that will translate into concrete estimates that can be used to build the real systems
  - D. All of the above
- 21. The Role of Security in the modern world of connected ecosystems is changing primarily due to the following:
  - A. ID based authentication compared to network-based authentication
  - B. DevSecOps principle shift left security in the development lifecycle
  - C. Project based engagement to continuous engagement
  - D. All of the above

#### 22. What is a Microservice?

- A. A design used primarily in functional programming and object-oriented programming
- B. A small program that represents discrete logic that executes within a well defined boundary on dedicated hardware
- C. A style of design for enterprise systems based on a loosely coupled component architecture
- D. A very small piece of code that never gets any bigger than 10 lines

- 23. An IT organization using a microservices architecture wants to improve the resiliency of its services. What can this organization do to prevent a service failure from cascading to other services?
  - A. Implement a circuit breaker
  - B. Leverage the MITRE ATT&CK Framework
  - C. Implement a supervisor agent
  - D. Use canary deployments

24. SRE is expected NOT to "	_" systems,	but rather to create environments,
infrastructure and automatio	n that will	systems to run meeting SLAs.

- A. Run, Self-enable
- B. Run, Automate
- C. Develop, Self-enable
- D. Develop, Automate
- 25. To start with SRE, "North Star" cannot be achieved immediately. We need to take small steps. In the "Walking" stage, what probably is a measure?
  - A. End-to-end build and packaging from CI Server
  - B. Supports Autonomous Delivery
  - C. Retrospectives are effective
  - D. Static Code Analysis and automated unit tests
- 26. In the Build Stage Participation, SREs get involved in various activities. What activity do SREs perform in the Continuous Deployment Stage related to Deployment on Production?
  - A. Automated Documentation
  - B. Security Check
  - C. On-call Support
  - D. B/G Deployment

- 27. Which is the correct definition of Chaos Engineering?
  - A. Chaos Engineering is the discipline of experimenting on a distributed system in order to build confidence in the system's ability to withstand turbulent conditions
  - B. Chaos Engineering is the practice of breaking things in production during the business hours
  - C. Chaos Engineering is the discipline of experimenting on a individual system in order to build confidence in the system
  - D. Chaos Engineering is the discipline of experimenting on a distributed system in order to build confidence in the system's ability to deliver the expected functionality
- 28. What is NOT a myth about Chaos Engineering?
  - A. Chaos Engineering is about breaking things
  - B. Chaos Engineering is about injecting random chaos experiments into the system and see what happens
  - C. Chaos Engineering is not about injecting random chaos experiments into the system and seeing what happens
  - D. Chaos Engineering is only for Cloud
- 29. True SRE is about remediating issues all across the value chain. Which one below is a reflection of an SRE's activity?
  - A. An architecturally complex system primarily transformed and moved business data across multiple cloud providers.
  - B. Poorly implemented Virtual Private Cloud for Production workloads.
  - C. A single active VPN tunnel was present to connect both the Cloud infrastructures
  - D. All of the above
- 30. An organization has moved from a traditional siloed culture to cross-functional product teams. A newly-formed SRE team is exploring needed changes to the organization's incident management procedures. What is the FIRST change this team should make?
  - A. Establish an incident command framework
  - B. Redefine the responsibilities of each support tier
  - C. Use AI/ML to automate as much as possible
  - D. Develop a communication strategy

- 31. What scalability challenges does the Platform SRE approach solve?
  - A. Fragmentation
  - B. Unpredictability
  - C. Cost
  - D. Options A and B
- 32. What is the sequence of phases in implementing AIOps?
  - A. Organize, Collect, Analyze, Infuse
  - B. Collect, Organize, Analyze, Infuse
  - C. Gather, Organize, Analyze, Infuse
  - D. Collect, Correlate, Analyze, Introduce
- 33. An organization's product teams have the ability to determine whether users are able to access applications and if those applications are performing within appropriate limits. They lack, however, the ability to better understand the inner workings of these systems. Which would provide the teams this capability?
  - A. Monitoring
  - B. Observability
  - C. AlOps
  - D. Chaos engineering
- 34. According to Google's Golden Signals, what is the highest level in the Pyramid?
  - A. Errors
  - B. Latency
  - C. Saturation
  - D. Traffic
- 35. In a possible SRE Implementation, where does the SRE role fit in?
  - A. Part of the Development Team
  - B. Outside the Value Stream
  - C. SRE Product and Platform Team
  - D. Operations

- 36. A newly-formed team of SREs has had some quick wins by working with engineers and product owners to drive automation and improve incident handling. The team is working to get buy-in for SLOs and error budgets in an effort to affect how work is prioritized and mature the organization. Which behavioral skills are MOST needed in this situation?
  - A. Collaboration skills
  - B. Decision making skills
  - C. Negotiation and influencing skills
  - D. Conflict management skills
- 37. Game Days are done to discover the robustness around degradation of services. Which one of the below is an example?
  - A. Stop your docker service
  - B. DDOS yourself
  - C. Add delay to your Network and check for Resiliency
  - D. All of the above
- 38. In the Game Day Experiment Lifecycle, what is the sequence of activities?
  - A. Automate, Perform, Verification, Remediate
  - B. Automate, Perform, Validate, Remediate
  - C. Perform, Validate, Remediate, Automate
  - D. Perform, Validate, Automate, Remediate
- 39. What is the main goal for successful SRE?
- A. SLO
- B. SLI
- C. Error Budget
- D. Customer Satisfaction
- 40. To introduce chaos engineering, a team is thinking of quietly running a series of experiments that confirm known weaknesses in a system. The team can then use the results of these experiments to justify needed improvements. What is the likely outcome of this approach?
  - A. Evidence of the value of chaos engineering
  - B. Resistance to future chaos engineering efforts
  - C. Buy-in from the people who support the system
  - D. Confidence in the ability to detect system weaknesses

#### SRE Practitioner v1.0 - Sample Exam Answer Key

Question	Correct Answer	Module
1	С	3
2	D	3
3	В	1
4	В	3
5	С	5
6	D	2
7	Α	5
8	Α	2
9	Α	4
10	В	2
11	Α	8
12	Α	2
13	Α	2
14	Α	6
15	Α	4
16	В	2
17	В	5
18	Α	3
19	В	3
20	D	3
21	D	7
22	С	3
23	Α	3
24	Α	1
25	В	8
26	D	8
27	А	8
28	С	8
29	D	1
30	А	6
31	D	5
32	В	5
33	В	4
34	С	4
35	С	5

36	С	8
37	D	7
38	С	7
39	D	1
40	В	7



#### Your Path to

## **DevOps Success**

DevOps Institute is dedicated to advancing the human elements of DevOps success. Our goal is to help advance careers and support emerging practices using a role-based approach to certification which focuses on the most modern competencies and hireable skills required by today's organizations adopting DevOps.

Take the next steps in your learning and certification journey to DevOps success.

Click on a certification or visit www.devopsinstitute.com/certifications to learn more.

#### **Become a Member**

Join the fastest growing global community of DevOps practitioners and professionals and gain access to invaluable learning content, the latest news, events, emerging practices, develop your network and advance your career.

# You belong.

devopsinstitute.com/membership





